

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits (Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
3.0 advanced all-purpose		Dap	Caulk	Calcium carbonate, Proprietary Phthalate Esters, Limestone, Titanium dioxide, Trimethoxyvinylsilane	None	None		1.47	Not Established
3M (TM) Windshield Repair Kit, 08580	Windshield repair kit: resin	3M	Automotive	2-HYDROXY-2-METHYL-1-PHENYL-1-PROPANONE, 1,6-HEXANEDIOL DIACRYLATE	none			1.05	slight (less than 10%)
3M Fastbond Contact Adhesive 30-NF Neutral		3M Center	Water-based contact adhesive	Polychloroprene, glycerol ester of hydrogenated rosin, rosin, toluene, methyl alcohol, zinc oxide	None	None			
3M General Trim Adhesive		3M	Adhesive	DIMETHYL ETHER METHYL ACETATE CYCLOHEXANE BICYCLO[3.1.1]HEPT-2-ENE,2,6,6-TRIMETHYL-,POLYMER WITH 6,6-DIMETHYL-2-METHYLENEBICYCLO[3.1.1]HEPTANE 1,1-DIFLUOROETHANE BENZENE, 1-ETHENYL-4-METHYL-, POLYMER WITH (1-METHYLETHENYL)BENZENE NONVOLATILE COMPONENTS - TRADESECRET PETROLEUM DISTILLATE HYDROTREATED LIGHT PETROLEUM DISTILLATES METHYL ALCOHOL	none	1, 1-Difluoroethane (fluourinated, not chlorinated but would behave similarly)?		0.781	nil
3M Panel Bonding Adhesive (PN38315) - Part A		3M	Epoxy Adhesive	POLYMERIC DIAMIDE BUTADIENE ACRYLONITRILE COPOLYMER FUSED SILICA BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL TRIS(2,4,6-DIMETHYLAMINOMONOMETHYL) PHENOL INORGANIC SALT DIMETHYL SILOXANE, REACTION PRODUCT WITH SILICA AMINE EPOXY CURING AGENT BIS [(DIMETHYLAMINO)METHYL]PHENOL N-AMINOETHYLPIPERAZINE	None	None		1.2	n/a

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
3M Panel Bonding Adhesive (PN38315) - Part B		3M	Epoxy Adhesive	4,4'-ISOPROPYLIDENEDIPHENOL-EPICHLOROHYDRIN POLYMER GLASS BEADS 1,4-BIS[(2,3-EPOXYPROPOXY)METHYL]CYCLOHEXANE FUSED SILICA METHYL METHACRYLATE-BUTADIENE-STYRENE POLYMER AMORPHOUS SILICA DIMETHYL SILOXANE, REACTION PRODUCT WITH SILICA 3-(TRIMETHOXYSILYL)PROPYL GLYCIDYLETHER CARBON BLACK	None	None		1.2	n/a
3m Structural Adhesive (Part A)		3M		ALIPHATIC POLYMER DIAMINE FUSED SILICA 60676-86-0 10 - 30 TRIS(2,4,6-DIMETHYLAMINOMONOMETHYL)PHENOL BIS(3-AMINOPROPYL) ETHER OF DIETHYLENE GLYCOL OXIDE GLASS CHEMICALS DIMETHYL SILOXANE, REACTION PRODUCT WITH SILICA IMIDAZOLE INORGANIC NITRATE BIS(DIMETHYLAMINO)METHYL]PHENOL	None	None		1.06	No Data Available
3m Structural Adhesive (Part B)		3M		4,4'-ISOPROPYLIDENEDIPHENOL-EPICHLOROHYDRIN POLYMER OXIDE GLASS CHEMICALS 1,4-BIS[(2,3-EPOXYPROPOXY)METHYL]CYCLOHEXANE FUSED SILICA METHYL METHACRYLATE-BUTADIENE-STYRENE POLYMER SILICA 3-(TRIMETHOXYSILYL)PROPYL GLYCIDYL ETHER DIMETHYL SILOXANE, REACTION PRODUCT WITH SILICA CARBON BLACK	None	None		0.91	No Data Available

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
3M Weatherstrip Adhesive Black 08011		3M	Adhesive	HEXANE METHYLCYCLOPENTANE HEPTANE TALC 2-METHYLPENTANE 3-METHYLPENTANE TOLUENE NAPHTHA, LIGHT STEAM-CRACKED AROM., PIPERYLENE CONC., POLYMD. STYRENE-BUTADIENE POLYMER POLYISOPRENE CALCIUM ZINC RESINATE PHENOLIC RESIN CYCLOHEXANE 2,3-DIMETHYLBUTANE ETHYL ALCOHOL Benzene, ethenyl-, homopolymer BENZENE METHYL ALCOHOL METHYL ISOBUTYL KETONE	None	None		0.82	Slight
3M Windo Weld Super Fast Urethane		3M	Adhesive	DIPHENYLMETHANE 4,4'-DIISOCYANATE- POLYPROPYLENE GLYCOLPOLYPROPYLENE GLYCOL GLYCEROL ETHER COPOLYMER SULFONIC ACIDS, C10-18-ALKANE, Ph ESTERS CARBON BLACK KAOLIN, CALCINED HYDROTREATED LIGHT PETROLEUM DISTILLATES TOLUENE	none	none	Paste	1.2	negligible

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits (Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
3M(TM) General Trim Adhesive P.N. 08088	general trim adhesive	3M	Automotive	DIMETHYL ETHER, METHYL ACETATE, CYCLOHEXANE BICYCLO[3.1.1]HEPT-2-ENE,2,6,6-TRIMETHYL-,POLYMER WITH 6,6-DIMETHYL-2-METHYLENEBICYCLO[3.1.1]HEPTANE 1,1-DIFLUOROETHANE BENZENE, 1-ETHENYL-4-METHYL-, POLYMER WITH (1-METHYLETHENYL)BENZENE NONVOLATILE COMPONENTS - TRADESECRET <b>PETROLEUM DISTILLATE</b> <b>HYDROTREATED LIGHT PETROLEUM DISTILLATES</b> METHYL ALCOHOL			possible dnaps in petroleum distillate and hydrotreated light petroleum distillates	0.781	Nil
3M™ Brand Super Trim Adhesive PN 08090	Super trim adhesive	3M	Automotive	Methyl acetate, Dimethyl ether, cyclohexane, toluene, polychloroprene, synthetic resin, antioxydant, <b>hydrotreated heavy naptha (petroleum)</b> , thermoplastic rubber, methyl alcohol			check naptha	0.835	negligible
<b>3M™ HEADLIGHT RESTORATION KIT - NO TOOLS REQUIRED, 39084 Rubbing Compound</b>	Headlight restoration kit	3M	Automotive	Water, aluminum oxide, kerosene, castor oil, white mineral oil (petroleum), ethylene oxide, polymer with ethylenediamine and propylene oxide, poly (oxy-1,2-Ethanediy), Alpha-undecyl-omega-hydroxy-terpenes and terpenoids, sweet orange-oil, <b>Napthalene</b>	Polycyclic Aromatic Hydrocarbons [PAHs]		napthalene	1.06 - 1.08	Moderate
3M™ Weld-Thru II Coating, PN 05917	weld thru II coating	3M	Automotive	acetone, liquified petroleum gases, zinc, xylene, zinc rich primer, ethylbenzene, aluminum, <b>stoddard solvent, light aromatic solvent naptha (petroleum)</b> , toluene, cumene			check stoddard solvent	0.796	Appreciable
511 Seal & Enhance		Miracle Sealants Company	Natural Stone Sealer	Solvent Naptha (petroleum) medium aliphatic					
AC Delco Brake & Parts Cleaner		Ac Delco	Degreaser	Heptane, Carbon Dioxide	none	none		0.7	insoluble
ACA 1000 VOC Compliant Spray Adhesive		Dayton Superior	Adhesive	isobutane propane acetone Naphtha (petroleum), solvent-refined light n-hexane	None	None		0.7	Not miscible or difficult to mix.
Acetone	2-propanone; Dimethyl Ketone; Dimethylformaldehyde ; Pyroacetic Acid	Midsun Group, Fisher Scientific	Chemical intermediate	Acetone	None	None	LNAPL		

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Acrylpro Ceramic Tile Adhesive		Custom Building Products	Ceramic Tile Adhesive	Silica, crystalline, quartz Ethylene glycol Calcium carbonate	None	None		1.3	Partially miscible.
adhesion promotor		Dominion Sure Seal	Adhesion promotor	Toluene, Acetone, Isobutyl Acetate, Xylene, Ethylbenzene, Isopropanol, Propane, Isobutane	None	None		0.86	not available
Akzo Nobel Was & Grease Remover R859		Akzo Nobel	Cleaner/degreaser	Ligroine Stoddard solvent Ethyl acetate xylene ethylbenzene	PAH in stoddard Solvent	None		0.75	Not dispersible in the following materials: cold water.
Alex plus (Clear)		Dap	Caulk	ETHYLENE GLYCOL, Amorphous silica, Ammonia, Formaldehyde	None	None		1.1	Not Established
Alex Plus (White)		DAP	Caulk	Limestone, branched and linear phthalates, Titanium dioxide, Silica (crystalline), Ethylene glycol, Ammonia, Formaldehyde	None	None		1.5	Not Established
Alex Plus (White)		DAP	Caulk	Limestone, branched and linear phthalates, Titanium dioxide, Silica (crystalline), Ethylene glycol, Ammonia, Formaldehyde	None	None		1.5	Not Established
American Paint, Oil & Grease Remover	American POG, APOG	ADCO Cleaning Products LLC	Spot and stain removal agent for dry cleaning only	Aromatic petroleum distillates, Cyclohexanol, 4-methyl, 2-pentanone, n-butyl alcohol, pentyl acetate, 1-methoxy-2-propanol, Orthodichlorobenzene, Cyclohexanone, Petroleum distillates	None	None	Marked as a DNAPL-containing chemical due to the presence of orthodichlorobenzene	0.895	
AMSoil Engine Flush		AMSoil Inc.	Engine and Crankcase Cleaner	Hydrotreated petroleum distillate, 2-Butoxyethanol, glycol ether EB, aliphatic petroleum distillates	None	None			
Armor Coat Rust Paint - Black		Rust-Oleum		Limestone, stoddard solvents, mineral spirits, carbon black, neodecanoic acid cobalt salt	Naphthalene in stoddard solvent	None		1.332	Slight
Atcote		Atco International	Heavy-Duty Rubberized Undercoating	*Toluene PROPANE BUTANE	None	None		0.82	insoluble
Auto self etching primer black		Dominion Sure Seal	aerosol coating	Methyl ethyl ketone, acetone, n-butyl acetate, xylene, ethylbenze ethanol, methyl isobutyl ketone, carbon black isobutane, propane	None	None		0.95	not available
Auto self etching primer grey		Dominion Sure Seal	aerosol coating	Acetone, Methyl Isobutyl Ketone, Methyl Ethyl Ketone, Isopropanol, Talc (Magnesium silicate hydrate), Titanium dioxide, Nitrocellulose, Dibutyl Phthalate, Xylene, Ethylbenzene, Methanol, Isobutane, Propane	None	None		0.94	not available
Auto Valet Purple Power		Auto Valet Detailing Products	Detergent	Monoethanolamine Ethylene glycol monobutyl ether Alcohols, C9-11, ethoxylated	none	none		1.03	complete

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits (Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Autosense Brake & Parts Cleaner		Shrader Canada Limited	Cleaner / Degreaser	Heptane (branched, cyclic, & linear), Isopropanol, carbon dioxide	None	None		0.7	Negligible
AutoSense Engine Shampoo		Shrader Canada Limited	Degreaser/cleaner	stoddard solvent, solvent naphtha light aromatic, liquified sweetened petroleum gases, ethoxylated alcohols (c9-c11), ethylene glycol	Potentially naphthalene (PAH) in stoddard solvent and light aromatic naphtha - need to confirm	None	Potentially naphthalene (PAH) in stoddard solvent and light aromatic naphtha	0.88	Partial
Bakor 830-05		HENRY COMPANY	Rubber/Resin solvent based adhesive used for roof and insulation adhesive	acetone hydrocarbon resin methylpentane propylated triphenyl phosphate	None	None		0.85	Insoluble
Barbee Co. Water Based Radiator Paint - Black		The Barbee Co. of Canada	Radiator Paint	Carbon Black Propylene Glycol	None	None		1.64	not specified, but product is 72% water by weight
Barnes Best Darn Degreaser		BARNES DISTRIBUTION	Degreaser	ETHANOL, HEXANE ACETONE CARBON DIOXIDE METHANOL	None	None		not available	not available
BASF UR50 Mid Temp Reducer		BASF		1,2,4-trimethylbenzene 1-methoxy-2-propylacetate 2-butoxyethyl acetate n-Butyl acetate Solvent naphtha (petroleum), light aliph. solvent naphtha	none	none		0.87	not available
Battery Cleaner		CRC		water, 2-Butoxyethanol, sodium bicarbonate, detergent, liquefied petroleum gas	None	None		1.04	
Better than - Vandalism Remover		The Better Than Corporation	Paint Stripper	TOLUENE DIACETONE ALCOHOL XYLENE ETHYLBENZENE ISOPROPANOL ISOBUTANE PROPANE	None	None		0.93	not available
Bona DriFast Quickdry Stain - White		BonaKemi USA, Inc.	Wood Stain	ALUMINUM OXIDE AMORPHOUS SILICA PETROLEUM DISTILLATES, LIGHT STODDARD SOLVENT	Naphthalene in Stoddard Solvent	none		1.05	insoluble
Bona DriFast Quickdry Stain - Wood Tones		BonaKemi USA, Inc.	Wood Stain	CARBON BLACK IRON OXIDE PETROLEUM DISTILLATES, LIGHT STODDARD SOLVENT	Naphthalene in Stoddard Solvent	none		0.87	insoluble



## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits (Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Bondo glass reinforced filler	Bondo	3M	Automotive	BENZOYL PEROXIDE, WATER, BENZOIC ACID, C9-11-BRANCHED ALKYL ESTERS, ZINC STEARATE, OXIRANE, POLYMER WITH METHYLOXIRANE, MONOBUTYL ETHER, CALCIUM SULFATE, IRON OXIDE (FE2O3)	None	None		1.2	negligible
Bondo Lightweight Body Filler	Bondo	3M	Automotive	1,3-ISOBENZOFURANDIONE, POLYMER WITH 2,5-FURANDIONE AND 2,2'-OXYBIS[ETHANOL], STYRENE MONOMER, TALC, MAGNESIUM CARBONATE, OXIDE GLASS CHEMICALS, QUATERNARY AMMONIUM COMPOUNDS, BIS(HYDROGENATED TALLOW ALKYL)DIMETHYL, SALTS WITH MONTMORILLONITE LIMESTONE, CHLORITE (MINERAL), TITANIUM DIOXIDE, QUARTZ SILICA	None			1.14	negligible
Brake and Electrical contact kleen		Kleen flo	CLEANER	Tetrachloroethylene, CO2, Dichloromethane	PCE			1.5	Negligible
Brakleen		CRC		Methanol, Toluene, Heptane, Acetone, Carbon Dioxide	None	None		0.782	
Brakleen		CRC		Methanol, Toluene, Heptane, Acetone, Carbon Dioxide	None	None		0.782	
Brakleen Brake parts cleaner non-chlorinated		CRC		Methanol, Toluene, Heptane, Acetone, Carbon Dioxide	None	None		0.782	
Brilliant Gloss Wax		Mondo Products Company Limited	Car wash detergent	Ethyleneglycol Monobutyl; Soya/coco Amidoamine Quat; Isopropyl Alcohol; Cherry Perfume					
Bullseye		National Chemical Laboratories (NCL)	Degreaser	Sodium Hydroxide 2-(2-Butoxyethoxy) Ethanol Polyethylene Mono(Nonylphenyl) Ether Glycols	None	None		1.051	Complete
C1 Neoprene Contact Adhesive		SmartAdhesives LLC	Neoprene-based contact adhesive; Industrial use	Acetone, hexane, light hydrotreated naptha (petroleum), toluene					
C3 Nitrile Contact Adhesive		SmartAdhesives LLC	Nitrile-based contact adhesive; Industrial use	Acetone	None	None			
CAM2 Brake Fluid DOT 3	Cam 2 Super HD Brake Fluid	CAM2 International, LLC	brake fluid	Triethylene glycol monobutyl ether 2-(2-butoxyethoxy)ethanol Diethylene glycol monopropyl ether Diethylene Glycol Monoethyl Ether Triethylene glycol monoethyl ether	None	None		Not available	Miscible.

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits (Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Carborundum EZ Repair 5 Minute Epoxy Part 1		Saint-Gobain Abrasives, Inc.	Epoxy Adhesive	Talc (no asbestos) 4,4 DiPhenylmeth.Dilsocyanate Colloidal Silica Urethane Prepolymer MDI Homopolymer Aluminum oxide Sodium oxide Silicon dioxide Calcium monoxide	none	none		1.288	Not Available
Carborundum EZ Repair 5 Minute Epoxy Part 2		Saint-Gobain Abrasives, Inc.	Epoxy Adhesive	Urethane prepolymer Polyether Polyol Oxirane , methyl-, polymer with Amorphous silica Clay Carbon black	none	none		1.288	Not Available
CarQuest Brake Parts Cleaner		CRC Canada Co.	Degreaser	Tetrachloroethylene (PERC) Petroleum Distillates Trichloroethylene Carbon Dioxide	perchloroethylene, trichloroethylene	none		1.62	negligible
CarQuest Heavy Duty Silicone		CRC		Heptane isomers various Acetone Polydimethylsiloxane Liquefied petroleum gas	none	none		0.748	slight
Castle Thrust Penetrating Oil		Castle Products, Inc.	Heavy Duty Penetrating Oil	Petroleum Distillate Paraffinic naphthenic oil Ethyl acetate Propane Iso-Butane	None	None		0.89	Negligible
Castle® Dragon Fire™ Carburetor & Choke Cleaner		Castle Products, Inc.	Carburetor & Choke Cleaner/ Degreaser	2-Propanone Toluene Propane/Isobutane/N-butane Dimethylbenzene Carbon Dioxide Methyl Alcohol Ethylbenzene	None	None		0.8267	
Caterpillar Yellow Aerosol Paint		Valspar		Acetone Propane SOLVENT NAPHTHA, PETROLEUM, MEDIUM ALIPH SOLVENT NAPHTHA, PETROLEUM, LIGHT ALIPH Toluene Titanium dioxide	none	none		0.78	not determined



## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

**Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.**

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Celsius Antifreeze		Prestone	Antifreeze	Ethylene Glycol Diethylene Glycol 2-Ethyl Hexanoic Acid, Sodium Salt Neodecanoic Acid, Sodium Salt Water	None	None		1.14	Complete
Ceramic EZE Slide Brake Lubricant		Kleen-Flo Tumbler Industries Ltd		Heavy paraffinic oil, polybutene, Boron nitride, Thickening agent	Possible in thickening agent	None		0.9	insoluble
Certified Brake Cleaner		K-G PACKAGING INC	cleaner/degreaser	TETRACHLOROETHYLENE CARBON DIOXIDE	TETRACHLOROETHYLENE	None		1.58-1.62	Negligible
Certified Break Cleaner Non-Chlorinated		K-G PACKAGING INC.	cleaner/degreaser	HEXANE ISOPROPANOL PROPANE	None	None		0.7	Negligible
Certified Heavy Duty Brake Cleaner		K-G PACKAGING INC.	cleaner/degreaser	HEXANE, ISOPROPANOL, CARBON DIOXIDE	None	None		0.7	Negligible
Circa 1850 Furniture Refinisher		Swing Paints Ltd.	Furniture Stripper	Acetone Methyl Ethyl Ketone Isopropanol Propylene Glycol	None	None		0.8	Soluble
Circa 1850 Furniture Stripper		Swing Paints Ltd.	Furniture Stripper	Dichloromethane Methanol Proprietary Component Proprietary Component	None	Dichloromethane		1.3	<2%
Circa 1850 Heavy Body Paint & Varnish Remover		Swing Paints Ltd.	Furniture Stripper	Dichloromethane Methanol Proprietary Component Proprietary Component	None	Dichloromethane		1.3	<2%
Citation 1405 Solvent	Parts Washer Solvent	Imperial Oil Chemicals Division	Solvent / Degreaser	Light distillate-Hydrotreated	None	None		0.79	0.01%
Colour All Spray Paint		DupliColor	Spray Paint	Propane Butane Toluene Acetone Ethyl 3-Ethoxypropionate Carbon Black	None	None		0.73	not available

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits (Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Col-R-Flo Finishing Putty		ITW Evercoat	Light weight Spot and Finishing Putty	Polyester Resin Proprietary Proprietary Talc Styrene Calcium Carbonate Inert Filler Proprietary Proprietary Titanium Dioxide Magnesite Quartz	none	none		1.13	insoluble
Col-R-Flo Lightweight Body Filler		ITW Evercoat	Light weight bodyfiller	Talc Polyester Resin (Non-Hazardous) Styrene Magnesite Calcium Carbonate Inert Filler Titanium Dioxide	none	none		1.25	insoluble
Col-R-Flo Parts Cleaner		Rechchem	degreaser/solvent	distillates (petroleum), hydrotreated light	Maybe PAH?	none		0.8	insoluble
Col-R-Flo Polyester Resin		ITW Evercoat		Polyester Resin (Non-Hazardous) Styrene Silica, amorphous	none	none		1.15	insoluble
Col-R-Flo Short Strand Fibreglass		ITW Evercoat	Fibreglass reinforced filler	Talc Polyester Resin Styrene Magnesite Dolomite Inert Filler	none	none	heavy paste	1.71	Insoluble
Conc Kleen		Auto Valet Detailing Products	Concrete Floor Cleaner/Degreaser	Sodium metasilicate pentahydrate Sodium carbonate Alcohols, C12-14-secondary, ethoxylated	None	None		N/A (is solid)	Complete
Continental Rim Cement - Aluminum		CTA GmbH	Bicycle Tire Glue	cyclohexane, hydrotreated light petroleum naphtha, 2,6-di-tert-butyl-p-cresol	none	none		0.81	Not miscible or difficult to mix.
Continental Rim Cement - Carbon		CTA GmbH	Bicycle Tire Glue	hydrotreated light petroleum naphtha, butanone, ethyl acetate, magnesium oxide, 2,6-di-tert-butyl-p-cresol	none	none		0.865	Not miscible or difficult to mix.

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits (Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Corrostop Anti Rust and Plastic Enamel	Hydrant Paint	Akzo Nobel Canada Inc.	Paint	Naphtha (petroleum), hydrotreated heavy Naphtha (petroleum), heavy alkylate titanium dioxide Stoddard solvent toluene cobalt neodecanoate	<0.2% naphthalene in stoddard solvent	None		1.01	Not dispersible in the following materials: cold water.
CPD Concentrated Latex Adhesive		CPD Construction Products	Adhesive	"No listed Hazardous Materials"	None	None		1.01	Infinite dilution
CRC - QD Electronic Cleaner		CRC Canada Co.	Electronic Cleaner	Hexane isomers n-Hexane Ethanol Carbon Dioxide	None	None		0.66	negligible
CRC Engine Stor		CRC Industries		Hydrotreated naphthenic distillates Solvent-refined heavy paraffinic distillates Inhibitor blend proprietary Liquefied petroleum gas	none	none		0.896	negligible
CRC Sensor Kleen		CRC Canada Co.	Cleaner / Degreaser	Hexane isomers n-Hexane Synthetic isoparaffinic hydrocarbon Methanol Carbon dioxide	none	none		0.6699	Negligible
Cream Hardener		Fibre Glass-Evercoat	Polymerization initiator (for light weight bodyfiller)	Benzoyl Peroxide Plasticizer, non-phthalate Water Silica, amorphous Calcium Carbonate Pigments	none	none		1.2	Slight
Crown Lacquer Thinner		Packaging Service Co., Inc.		Light aliphatic solvent naphtha, methanol, acetone, toluene, 2-butoxyethanol					
Crown Rust Remover		Crown Chemical Products Inc.	Rust remover	Hydrofluoric acid, ammonium bifluoride	None	None			
Dad's Easy Spray - paint, Stain, & Varnish Remover		Sansher Corporation	Paint, Stain, & Varnish Remover	Methylene Chloride Methanol Ethylene Glycol Butyl Ether	None	Methylene Chloride		1.16	"rinseable"
Dap Weldwood Resin		DAP Inc.	Plastic Resin Glue	Barium Chloride Formaldehyde Urea-Formaldehyde Polymer	None	None		0.5502	Slight
daptex plus multipurpose		Dap	pressurized latex foam	Isopropyl alcohol, ethylene glycol, dimethyl ether, propane, n-butane, vinyl acetate	none	none		1	Not Established

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits (Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/ Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Devcon 2 Ton epoxy - Hardener		ITW Polymers Adhesives, North America	Epoxy Adhesive	Nonylphenol Aminoethylpiperazine	None	None		0.97	completely miscible
Devcon 2 Ton epoxy - resin		ITW Polymers Adhesives, North America	Epoxy Adhesive	Bisphenol A diglycidyl ether resin	None	None		1.17	negligible
Devcon Epoxy Plus 25 (Hardener)		ITW Polymers Adhesives	Epoxy Adhesive	2,4,6-Tris (Dimethylaminomethyl)phenol Inert materials Non-hazardous ingredients. Titanium dioxide Aminoethylpiperazine Nonylphenol Polyamide of C 18 fatty acid dimers and TETA	None	None		1	moderate (5-15%)
Devcon Epoxy Plus 25 (Resin)		ITW Polymers Adhesives	Epoxy Adhesive	Bisphenol A diglycidyl ether resin Butylated bisphenol A epoxy resin Titanium dioxide, Trade secret.	None	None		1.39	negligible
Devguard 4180 Universal Primer		AkzoNobel	Industrial Primer / Metal Primer	stoddard solvent, petroleum resins, others	stoddard solvent (naphthalene/PAH)	None		<1.4	not available
Dominion Sure Seal Black Rubberized Undercoating		Dominion Sure Seal LTD.	Coating	PETROLEUM DISTILLATES (STODDARD SOLVENT) ASPHALT VM&P NAPHTHA TOLUENE ISOBUTANE PROPANE	Asphalt (PAH)	none		0.98	Negligible
Dominion Sure Seal Fast Cure Urethane		Dominion Sure Seal LTD.	adhesive / sealant	Carbon black, toluene, light petroleum distillates, dibutyltin dichloride	degradation of dibutyltin dichloride?	degradation of dibutyltin dichloride?		1.2	not soluble
Dominion Sure Seal Gravel Guard		Dominion Sure Seal LTD.	Coating	ACETONE TERT-BUTYL ACETATE PROPYLENE GLYCOL METHYL DIACETONE ALCOHOL XYLENE ETHYLBENZENE n-BUTYL ACETATE PROPANE ISOBUTANE	none	none		0.77	not available

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits (Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
DOW Betaseal U-418		The Dow Chemical Company	Auto Glass Adhesive	MDI BASED URETHANE POLYMER Carbon black Diisononyl phthalate Phthalic acid, di-C8-10-branched alkyl esters, Calcined clay Toluene 4,4' -Methylenediphenyl diisocyanate Hexamethylene-1,6-diisocyanate homopolymer Tris(nonylphenyl) phosphite	None	None		1.19	
DOW u-428 Plus		The Dow Chemical Company	Primerless to Auto Glass Urethane Adhesive	MDI BASED URETHANE POLYMER P93-1485 Carbon black Diisononyl phthalate Phthalic acid, di-C8-10-branched alkyl esters, C9-rich Calcined clay Hexamethylene-1,6-diisocyanate homopolymer 4,4' -Methylenediphenyl diisocyanate	none	none		1.252	not available
Drive belt treatment		Kleen-flo		VM&P Naptha, Methylene Chloride, Propane		Methylene Chloride		1.039	Insoluble
Dulux Weatherguard Paint		AKZO NOBEL PAINTS LLC,	Paint	Acrylic Resin, Titanium Oxide, Nepheline Syenite, 1, 2 - Propanediol, Water	None	None		1.262	Not Available
Dupli Color Engine Enamel		THE SHERWIN-WILLIAMS CO.	Spray Paint	varies with colour, some contain VM&P Naptha which may potentially contain PAH	PAH (Maybe)	none		<0.8	n/a
Dupli Color Engine Enamel - Grey Primer		THE SHERWIN-WILLIAMS CO.	Spray Paint	Naphthalene, others	naphthalene	none		0.757	n/a
Dupli Color Grease and Wax Remover		Sherwin Williams	Degreaser	Acetone	none	none		0.793	n/a
DupliColor Acrylic Laquer			Clear Spray Laquer	Propane Butane Toluene Medium Aromatic Hydrocarbons Naphthalene Acetone Ethyl 3-Ethoxypropionate	Medium Aromatic Hydrocarbons? and naphthalene (PAH)	None		0.73	Not available
DuPont StoneTech Professional Natural Stone Countertop Sealer		DuPont StoneTech(R) Professional	Natural Stone Countertop Sealer	PNB Glycol Ether, mixed fluoroalkyl salts	None	None			
Dura Seal Polyurethane Gloss		MINWAX Company	Wood finish	Mineral Spirits	None	None			
Duro Dyne Water Based Duct Sealer		DURO DYNE CORPORATION		*none classified as hazardous*	none	none	paste	1.34	dilutable

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
E6000		E6000	CRAFT ADHESIVE	Perchloroethylene	Perchloroethylene			1.35-1.37	Very slightly soluble in the following materials: water
Elmer's Contact Cement		Elmer's Products, Inc.		Methyl ethyl ketone Solvent naphtha (petroleum), light aliphatic Acetone Ethylacetate Xylenes (o-, m-, p- isomers) Water	None	None		0.859	26.80%
EM Zone Brake & Parts Cleaner		Empack Spraytech Inc.	Degreaser	Heptane	none	none		0.7	negligible
Engine Brite Heavy Duty Engine Degreaser		Radiator Specialty Company (Gunk)	Engine degreaser	Petroleum naphtha, 1,2,4-Trimethylbenzene, 2-Butoxyethanol, Carbon dioxide, Ethoxylated Aliphatic Alcohol, Naphthalene, Aliphatic Petroleum distillate, Xylene (mixed isomers)	Polycyclic Aromatic Hydrocarbons [PAHs]	None		0.86	
Engine Brite Original		Gunk		Distillate (petroleum) hydrotreated middle, petroleum distillates, petroleum naphtha, dodecylbenzene isopropylamine sulfonate, naphthalene, xylene	PAHs (Polycyclic Aromatic Hydrocarbons) [Naphthalene]			0.86	
Epoxy Adhesive 300-A		Rosco Laboratories Inc.	Adhesive	Epoxy resin, Ektasolve EP, isopropanol	None	None			
Eterna 450		Atco International	Sealant	Methyl ethyl ketoxime Methyl Tri(ethylmethylketoxime) silane Aminoethylaminopropyltrimethoxysilane	None	None		1	insoluble
Evercoat Z Grip		ITW Evercoat	Light weight Bodyfiller	Polyester Resin (Non-Hazardous) Talc Styrene Calcium Carbonate Inert Filler Magnesite Titanium Dioxide Quartz (Crystalline Silica)	none	none		1.04	Insoluble in water.
fast cure urethane		Dominion Sure Seal	adhesive	Xylene, carbon black, barytes, methylene bisphenyl isocyanate	None	None		1.2	insoluble
Fiesta Oxy Power Multi-Purpose Stain Remover		Reckitt Benckiser	Stain remover	Sodium carbonate, sodium percarbonate, surfactants, sodium silicate, citric acid, protease enzyme (Subtilisin)	None	None			
Finitec 6000		Finitec hardwood Products Inc	Finish for Wood Floors	1-methyl-2-pyrrolidone, propylene glycol, triethylamine	none	none		1.05	miscible
Flo-Perm Mineral Spirits		Vulsay Industries	Solvent	Stoddard Solvent	naphthalene	none		0.79	negligible



## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits (Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Fluid Film		Eureka Chemical Company	Liquid, Lubricant, Corrosion Inhibitor	Liquefied Petroleum Gas Petroleum Oil	None	None		0.88	not soluble
Forever White Tile Adhesive and Grout		Everbuild Building Products Ltd.	Tile Adhesive	2-octyl-2H-Isotiazol-3-one	None	None			
Gasket Maker - The Right Stuff		ITW Permatex	Elastomeric Rubber / caulking	CALCIUM CARBONATE POLY (DIMETHYLSILOXANE), HYDROXY TERMINATED POLYDIMETHYLSILOXANE VINYL OXIMINOSILANE STEARIC ACID NITROGEN 2-BUTANONE OXIME	None	None		1.34	polymerized (no?)
Gaudreault Antiques Paint & Varnish Remover		Swing Paints Ltd.	Furniture Stripper	Dichloromethane Methanol Toluene	None	Dichloromethane		1.3	<2%
GemSeal ® Sand Mix Coal Tar Emulsion Sealer (plus similar products- see <a href="http://www.gemseal.net">www.gemseal.net</a> )	pavement sealer	Bonsal American, Inc.	pavement sealer	Coal tar, Aluminatesilicate , Kaolinite , <b>Naphthalene</b> , Titanium dioxide, <b>Benz[a]anthracene</b> , Chrysene, <b>Benzo[a]pyrene</b> , <b>Indeno[1,2,3-cd]pyrene</b> , <b>Benzo[j]fluoranthene</b> , <b>Dibenzo[a,h]pyrene</b>	PAH (Naphthalene)	none	paste like; see Gemseal website for additional products	not available	not available
Glaze 'N Seal Stone Color Enhancer		Glaze 'N Seal	Penetrating sealer that enhances color & seals in one step	Silsesquioxanes, hydrocarbon solvent	None	None			
Goof Off	The Miracle Remover	The Valspar Corporation	Paint Stripper	Xylene, Ethylbenzene, Diethylene Glycol Monomethyl Ether, Toluene	None	None		0.87	not determined
Goof oOff Graffiti Remover		W. M. Barr	Paint Remover	Acetone N-Methyl-2-Pyrrolidone {2-Pyrrolidinone, 1-Methyl-} Methyl Soyate Propanoic acid, 2-Hydroxy-, ethyl ester Alcohol ethoxylate Alcohols, C12-13, ethoxylated Liquified petroleum gas, sweetened {Propane-isobutane-n-butane} d-Limonene	none	none		0.89	Soluble
GreenEarth Cleaning Product		Dow Corning Corporation; GE Silicones; ShinEtsu	Dry cleaning (alternative solvent)	Decamethylcyclopentasiloxane (D5), dimethylcyclopolysiloxane, dimethylcyclosiloxanes	None	None			

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits (Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Grez Off		ITW Permatex	Degreaser	DIPROPYLENE GLYCOL MONONBUTYL ETHER ETHOXYLATED C9-C11 ALCOHOLS SODIUM METASILICATE	none	none		1.013	complete
Guaranteed to pass		CRC		<b>Petroleum Distillates</b> , Sweetened middle petroleum distillate, Polyether amine, Solvent naphtha, <b>Napthalene</b>	Petroleum distillates, PAHs (Napthalene)	None		0.87	
Gunk - Engine Degreaser		Cleaner / Degreaser	Radiator Specialty Co of Canada	Petroleum distillates Petroleum naphtha Carbon dioxide Petroleum sulfonate Naphthalene 2-butoxyethanol Dodecylbenzene isopropylamine sulfonate 1,2,4-Trimethylbenzene Xylene	naphthalene	None		0.86	Emulsifies
Gunk Belt Conditioner		Radiator Specialty Company (Gunk)	Belt Dressing	1,2,4-Trimethylbenzene Aliphatic Hydrocarbon - Non Exempt. Butene, homopolymer Carbon dioxide Ethylbenzene Mesitylene Xylene (mixed isomers)	none	none		0.77	insoluble
Gunk Brake Parts Cleaner - Chlorinated		RADIATOR SPECIALTY COMPANY		carbon dioxide, dichloromethane, tetrachloroethylene	Tetrachloroethylene	dichloromethane	DNAPL & Organic Solvent	1.47	530ppm@ 25c
Gunk Puncture Seal		Radiator Specialty Company (Gunk)	Tire Sealant	1,1,1,2-Tetrafluoroethane 2-butoxyethanol Ethylene glycol Ammonium hydroxide	none	none		1	soluble
Gunk Wire Dryer		Radiator Specialty Company (Gunk)	Weather proofing sprat for ignition systems	stoddard solvent Distillates (petroleum), hydrotreated heavy naphthenic Carbon dioxide 2-butoxyethanol 1,2,4-Trimethylbenzene	PAH in Stoddard Solvent	none		0.805	insoluble
Hilti Speed Spray		Hilti (Canada) Corporation	Acrylic Fire Stop Joint Spray	Calcium carbonate Ethylene glycol Zinc borate Polyethylenimine	None	None		1.3	soluble

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits (Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Home - Finish Remover (Aerosol)		Home hardware Stores Limited	Cleaner	benzyl alcohol, ethanolamine, isobutane	None	None		0.987	not available
Home - Liquid Sander		Clear Chem Solutions Inc.	Paint Stripper	Petroleum Naphtha Methanol Toluene		None		0.84	slight
Home - Paint & Varnish Remover		Clear Chem Solutions Inc.	Paint and varnish remover	Dichloromethane Methanol Toluene	None	Dichloromethane		1.2	slight
Home - Toluol		Paint Thinner / Solvent	Swing Paints LTD	Toluene	None	None		0.87	negligible
HomeBond Construction Adhesive		DAP Canada	Adhesive	various linear, branched, and cyclic aliphatic hydrocarbons up to c7	None	None		1.36	Not Established
Howes Lubricator Diesel Treat		R.B. Howes & Co., Inc.		Petroleum Distillates Aliphatic Hydrocarbon 1,2,4 Trimethylbenzene 1,3,5 Trimethylbenzene Trimethylbenzene Ethylbenzene Vinyl Acetate	None	None		0.9	Insoluble
Hydrex AW 22, 32, 46, 68, 80, 100		Petro-Canada Lubricants Inc.	hydraulic Fluid	Mixture of severely hydrotreated and hydrocracked base oil (petroleum).	None	None		0.8728	Insoluble in water.
Hydrocote 1063 PTA		BASF Canada	Wood coating	Titanium dioxide; oxirane, 2,2'-(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis-, homopolymer; nonylphenol	None	None			
Hydrocote Clear Wood Sealer		Hydrocote Co., Inc.	Wood coating	2 Butoxy ethanol	None	None			
Hydrocote Penetrating Stain		Hydrocote Co., Inc.	Wood coating	Dipropylene Glycol Methyl Ether	None	None			
Hydrocote Polyshield Gloss/Satin		Hydrocote Co., Inc.	Wood coating	Triethylamine, n-methyl pyrrolidinone	None	None			
Hydrocote Polyurethane		Hydrocote Co., Inc.	Wood coating	Propylene glycol, triethylamine, N-methyl Pyrrolidinone	None	None			
Ideal Clear Glide		Ideal Industries Inc.	Wire Pulling Lubricant	Water DMDM Hydantoin Oxirane, Methyl-, Polymer With Oxirane, Monobutyl Ether Amino-Methyl-Propanol Polyethylene Glycol Carbomer Thickener Silicone Glycol Blend	none	none	gel	1.09	Infinite

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Ideal Noalox		Ideal Industries Inc.		Polybutene Zinc Dust Silicon Dioxide	none	none		1.04	moderate
Ideal Switch and Contact Cleaner		K-G Packaging Inc.		N-PROPYL BROMIDE n-PROPANOL 1,1,1,2-TETRAFLUOROETHANE	none	none		1.25	0.15g/l
Indusol		Shell Canada	Solvent	Medium Aliphatic Solvent Naphtha	None	None		0.786	insoluble
Invisible Glass - Aerosol		Stoner Incorporated	Glass Cleaner	hydrocarbon blend (mixture), Hydrocarbon propellant	PAH in hydrocarbon blend?	none		0.96	not determined
IPEX S636 Primer		IPEX Inc.	Primer for PVC & CPVC contact cementing	Tetrahydrofuran Methyl Ethyl Ketone Acetone Cyclohexanone	None	None		0.858	Solvent portion soluble in water. Resin portion separates out
Ipex System 636 PVC Cement		IPS Corporation		Tetrahydrofuran Methyl Ethyl Ketone Cyclohexanone	none	none		0.9611	Solvent portion dissolves, resin separates out
IPS Weld-on 66		IPS Corporation	Vinyl Cement	Synthetic Elastomer Resin Methyl Ethyl Ketone (MEK) Tetrahydrofuran	none	none		0.845	Solvent portion dissolves, resin separates out
JB Weld		J-B Weld Company	Adhesive	Fatty acids, C18-unsaturated, dimers, reaction products with Polyethylenepolyamines Iron Limestone Oxirane, 2,2-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bis, homopolymer Benzyl alcohol Formaldehyde, polymer with benzenamine, hydrogenated Phenol, polymer with formaldehyde, glycidyl ether Titanium oxide	None	None	putty	n/a	n/a

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

**Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.**

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Jennite Coal Tar Pavement Sealer	pavement sealer	Neyra Industries, Inc.	pavement sealer	Coal tar, Acrylamide, Formaldehyde	PAH in coal tar		possible PAH	1.3	partly soluble
Joe Gibbs Driven Brake and Parts Cleaner		Driven Racing Oil	Degreaser	Acetone Carbon dioxide Heptane Xylene Ethyl benzene	none	none		0.726	no
Joe Gibbs Driven Foamy Engine Degreaser		Driven Racing Oil	Degreaser	no chlorinated solvents or PAH	none	none		1	complete
Johnsen's Brake Cleaner (non-chlorinated)		Technical Chemical Company	Cleaner / Degreaser	Methanol Acetone Toluene Heptane Carbon Dioxide	none	none		0.82	64%
Johnsen's Hi Performance Brake Parts Cleaner		Technical Chemical Company	Brake Cleaner	Hexane Heptane Carbon Dioxide Isopropyl Alcohol	none	none		0.82	approx. 75%
Johnsens Throttle Body & Air Intake Cleaner		Technical Chemical Company,	degreaser/cleaner	Acetone Toluene Carbon Dioxide Heptane	None	None		Not Determined	Negligible
Johnsonite SpraySmart 120-SG		Tarkett	Adhesive	Vinyl acetate 1,1-difluoroethane	None	None		1.03	Miscible
KCI EK Katilac Precat		KATILAC COATINGS INC.	Industrial Coating	XYLENE ETHYL BENZENE BUTANOL N- BUTYL ACETATE ETHYL ACETATE NITROCELLULOSE ISOPROPANOL ISOBUTANOL DIOCTYL PHTHALATE	none	none		0.945	n/a
KCI T4424 Lacquer Thinner		KATILAC COATINGS INC.	Industrial Solvent	TOLUENE METHANOL ETHYL ACETATE	none	none		0.87	n/a
Kent Acrysol Sc		Kent Automotive	Solvent	Solvent naphtha (petroleum), light aliphatic Xylene (mix) Ethyl benzene	none	none		0.7758	negligible

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits (Template adapted from York Region, 2013)

*Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.*

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Kent Automotive Brake and Parts Cleaner		Kent Automotive	degreaser	Heptanes Acetone Methyl acetate Isopropyl alcohol	none	none		0.88	negligible
Kent Plastic Quick Fix - Part A		Kent Automotive	epoxy repair material	Mercaptan/Amine Blend Calcium Carbonate Polymercaptan Hardener Tri(dimethylaminomethyl)phenol	none	none		n/a	Not miscible
Kent Plastic Quick Fix - Part B		Kent Automotive	epoxy repair material	Bisphenol A - Epichlorohydrin polymer Epoxy Resin Blend Mixture Calcium Carbonate Cyclohexanedimethanol Diglycidyl Ether Elastomer Modified Diglycidal Ether Modified Silicone Dioxide Glycidoxypropyl- Trimethoxysilane	none	none		n/a	Not miscible
Kiesel Okapox Designfuge - Part A (resin)		Kiesel Bauchemie GmbH & Co. KG	Epoxy Grout and Adhesive for tiles/flooring	Epoxy phenol novolac resin, 1,4-bis(2,3-epoxypropoxy)butane	None	None	paste	1.85	not miscible
Kiesel Okapox Designfuge - Part B (Hardener)		Kiesel Bauchemie GmbH & Co. KG	Epoxy Grout and Adhesive for tiles/flooring	Fatty acids, C18-unsatd., dimers, reaction products with polyethylenepolyamines, 1,4,7,10,13-Pentaazatridecane, 3,6-diazaoctanethylenediamin, 3-aminomethyl-3,5,5-trimethylcyclohexylamine, 3-aminopropyltriethoxysilane, 2-[(3-aminopropylmethylamino)ethanol], N-(3-(trimethoxysilyl)propyl)ethylenediamine	None	None	paste	1.06	not miscible
Kiesel Okapox GF - Hardener		Polyflor Australia Pty Ltd	Hardener component	benzene- 1, 3- dimethanamine p- tert- butylphenol isophorone diamine 2, 4, 6- tris[(dimethylamino)methyl]phenol trimethylhexamethylene diamine	None	None		0.96	immiscible



## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/ Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Kiesel Okapox GF - Resin		Polyflor Australia Pty Ltd	Resin component of two part epoxy primer system for the preparation of absorbing and non-absorbing substrates before patching, sealing and floor installations.	Epoxy phenol novolac resin, (C12- 14)alkylglycidyl ether phenyl glycidyl ether/ formaldehyde copolymer	none	none		1.13	Immiscible
King Concrete Adhesive		King Packaged Materials Company,			None	None		1.1	not available
kitchen bath & plumbing		Dap	Caulk	Calcium carbonate, Proprietary Phthalate Esters, Limestone, Titanium dioxide, Trimethoxyvinylsilane	None	None		1.47	Not Established
Klean-Strip Lacquer Thinner		W. M. Barr	Solvent for lacquers and paints	Methanol; toluene; acetone; acetic acid, ethyl ester; hexane, light aliphatic naphtha; methyl ethyl ketone; ethanol, 2-butoxy-			Light aliphatic naphtha = non-aromatic c5-c5 hydrocarbons?		
Kleen Flo Air Intake Kleen		Kleen Flo Tumbler Industries.	aerosol cleaner	Acetone Diacetone Alcohol Xylene Toluene Ethylbenzene Naphtha solvent Isobutane Propane	none	none		0.84	n/e
Kleen Flo Armashine Carpet & Upholstery Cleaner		Kleen-Flo Tumbler Industries Ltd	cleaner	isopropanol, sodium lauryl ether sulfate	none	none		1	100%
Kleen Flo Armashine Protectant		Kleen-Flo Tumbler Industries Ltd	Cleaner / Protectant	Hydrocarbon Distillates Silicone Fluid Polymer	None	None		0.83	Insoluble
Kleen Flo Battery Kleen		Kleen-Flo Tumbler Industries Ltd	Cleaner	Propane, isobutane	None	None		1.1	soluble
Kleen Flo Brake In		Kleen-Flo Tumbler Industries Ltd	brake disk & shoe coating	Amorphous silica Propellant (butane) Propellant (propane) Petroleum distillates	None	None		0.62	Insoluble

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Kleen Flo Carburetor & Metal Parts Cleaner		Kleen-Flo Tumbler Industries Ltd.	Cleaner	Methylene chloride Orthodichlorobenzene 2-Methylphenol 3-Methylphenol 4-Methylphenol Xylene Methanol 2-Butoxyethanol Potassium oleate soap caustic potash (45%)	degradation products of O-dichlorobenzene	Methylene Chloride		1.08	negligible
Kleen Flo Choke and Carb Clean		Kleen-Flo Tumbler Industries Ltd	Cleaner / Degreaser	Diacetone Alcohol Xylene Ethyl Benzene Acetone Propane Isobutane	None	None		0.9	negligible
Kleen Flo Combustion Chamber kleen		Kleen-Flo Tumbler Industries Ltd	Aerosol Cleaner	Aromatic naphtha . Methyl isobutyl carbitol Oleic acid Amonium hydroxide 2-butoxy ethanol Hydrotreated heavy naphthenic Hydrotreated light naphthenic Petroleum liquid gases	Aromatic Naphtha (PAH)?	none		0.92	partial
Kleen Flo Engine Kleen		Kleen-Flo Tumbler Industries Ltd	Engine Degreaser	Mineral Spirits Solvent naphtha Propane	Maybe PAH?	none		0.789	negligible
Kleen Flo Foamy Kleen		Kleen-Flo Tumbler Industries Ltd	Engine Degreaser	Mineral Spirits Xylene Kerosene Ethyl benzene Isobutane Propane	none	none		0.95	insoluble
Kleen Flo Fuel Stabilizer		Kleen-Flo Tumbler Industries Ltd	Gasoline Additive	Propanol-2 Petroleum distillates 2,6 di-tert-butyl phenol Benzotriazole	maybe PAH?	None		0.79	partly soluble

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

**Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.**

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Kleen Flo Fuel System Kleen		Kleen-Flo Tumbler Industries Ltd	Fuel injector cleaner (Aerosol)	2-Butoxy ethanol Oleic acid Aromatic petroleum distillate Methyl Isobutyl Carbitol Distillate light naphthenic Distillate heavy naphthenic Naphtha Petroleum Light	Aromatic petroleum distillate (PAH)?	none		0.8	partly miscible
Kleen Flo Gas Line Antifreeze		Kleen-Flo Tumbler Industries Ltd	Gas line antifreeze	Methanol	None	None		0.792	soluble
Kleen Flo Gasket Black 470		Kleen-Flo Tumbler Industries Ltd	Sealer	Amorphous silica Methyltriacetoxysilane Ethyl Triacetoxysilane Octamethylcyclotetrasiloxane Carbon Black	None	None		1.01	Insoluble
Kleen Flo Gasket Black 471		Kleen-Flo Tumbler Industries Ltd	Sealer	Methyltriacetoxysilane Ethyltri-acetoxysilane Colour pigment Octamethylcyclotetrasiloxane polydimethylsiloxane	None	None		1.04	nil
Kleen Flo Gasket Blue		Kleen-Flo Tumbler Industries Ltd	Sealer	Amorphous silica Methyltriacetoxysilane Ethyl Triacetoxysilane Octamethylcyclotetrasiloxane	None	None		1.01	insoluble
Kleen Flo Gasket Clear		Kleen-Flo Tumbler Industries Ltd	Sealer	Amorphous silica Methyltriacetoxysilane Ethyl Triacetoxysilane Octamethylcyclotetrasiloxane	None	None		1.01	insoluble
Kleen Flo Gasket Red		Kleen-Flo Tumbler Industries Ltd	Sealer	Amorphous silica Methyltriacetoxysilane Ethyl Triacetoxysilane Octamethylcyclotetrasiloxane	None	None		1.01	insoluble
Kleen Flo Honey Goo		Kleen-Flo Tumbler Industries Ltd	Lubricant and Rust Inhibitor	Aliphatic Naphtha Propellant (Isobutane) Propellant (Propane)	none	none		0.85	Insoluble
Kleen Flo Injector Kleen		Kleen-Flo Tumbler Industries Ltd	Cleaner	Hydrocarbon Solvent Petroleum Naphtha Stoddard solvent	maybe PAH?	None		0.796	Insoluble

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

**Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.**

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Kleen Flo Kleen Slip		Kleen-Flo Tumbler Industries Ltd	Lubricant	Heptane petroleum distillates Polydimethyl Siloxane Propane (Propellant) Isobutane (Propellant)	None	None		0.7	Negligible
Kleen Flo Kleen Stor		Kleen-Flo Tumbler Industries Ltd	Flogging Oil	Stoddard Solvent Mineral Spirit Refined light paraffinic oil Paraffinic oil Propane	maybe PAH?	None		0.86	negligible
Kleen Flo Kleen Valves & Lifters		Kleen-Flo Tumbler Industries Ltd	Gasoline Additive	Dimethylbenzene Petroleum Distillate Naphthenic Oil O-Dichlorobenzene	ortho dichlorobenzene (degradation products)	ortho dichlorobenzene (degradation products)		0.86	Negligible
Kleen Flo Lock De-Icer		Kleen-Flo Tumbler Industries Ltd	De-icer	Isopropyl Alcohol Naphthenic Oil	None	None		0.8	partly soluble
Kleen Flo Muffler Cement		Kleen-Flo Tumbler Industries Ltd	Adhesive	Sodium Silicate Solution Kaolin	None	None		1.7	none
Kleen Flo Multi Kleen Plus		Kleen-Flo Tumbler Industries Ltd	Cleaner	2-propanol 2-butoxyethanol Alcohol Ethoxylate caustic potash sodium metasilicate sodium tripolyphosphate	None	None		1.045	Soluble
Kleen Flo Non-Flammable PWD		Kleen-Flo Tumbler Industries Ltd.	lubricant	Petroleum naphthenic oil Petrolatum Perchloroethylene Carbon dioxide	perchloroethylene	none		1.41	None
Kleen Flo Power Steering Flush		Kleen-Flo Tumbler Industries Ltd	Cleaner	Hydrotreated paraffinic Oil Orthodichlorobenzene	ortho dichlorobenzene (degradation products)	ortho dichlorobenzene (degradation products)		0.85	none
Kleen Flo PWD		Kleen-Flo Tumbler Industries Ltd.	Dewatering Fluid	Stoddard solvent Mineral oil Ethylene GLYCOL monobutyl Propellant (Isobutane) Propellant (propane)	PAH in stoddard Solvent	none		0.83	none
Kleen Flo QUIK Penetrating Solvent		Kleen-Flo Tumbler Industries Ltd.	penetrant / lubricant	Mineral spirits White Mineral Oil Propane.	none	none		0.841	n/av

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Kleen Flo Roadside Assistance Emergency Tire Seal		Kleen-Flo Tumbler Industries Ltd	Tire Sealant	Light Distillate Perchloroethylene Iso-butyl methacrylate Butyl Benzyl phthalate Chlorodifluoromethane	Perchloroethylene	chlorodifluoromethane		1.57	negligible
Kleen Flo TKO 2000		Kleen-Flo Tumbler Industries Ltd	Cleaner	Hydrocarbon Solvent Petroleum Naptha Stoddard solvent	Maybe PAH?	none		0.796	insoluble
Kleen Flo TKO Diesel		Kleen-Flo Tumbler Industries Ltd	Cleaner	Light Hydrocracked Distillate Heavy aromatic naphtha Naphthalene Trimethyl benzene	Naphthalene (PAH)	none		0.84	none
Kleen Flo TKO Friction Shield		Kleen-Flo Tumbler Industries Ltd	Motor Oil Additive	Petroleum mineral oil Heavy paraffinic oil Calcium sulfonate	None	None		0.85	insoluble
Kleen Flo Transmission Conditioner		Kleen-Flo Tumbler Industries Ltd	Sealer conditioner	Hydrotreated base oil Hydrotreated Paraffinic oil	None	None		0.86	none
Kleen Flo Transmission Flush		Kleen-Flo Tumbler Industries Ltd	Cleaner	Hydrotreated parafinic Oil Orthodichlorobenzene	ortho dichlorobenzene (degratation products)	ortho dichlorobenzene (degratation products)		0.85	none
Kleen-Flo Disc Brake Quiet		Kleen-Flo Tumbler Industries	coating	N-hexane Tolune Acetone Ethyl acetate Ethanol Isobutane Propane	None	None		0.828	Soluble
Kleen-Flo Engine Flush		Kleen-Flo Tumbler Industries	Cleaner	Hydrotreated parafinic Oil Orthodichlorobenzene	potential degradation products of Ortho Dichlorobenzene?	potential degradation products of Ortho Dichlorobenzene?		0.85	None
Kleen-Flo Engine Shampoo		Kleen-Flo Tumbler Industries	Machine parts cleaner / Degreaser	Petroleum Distillate Stoddard Solvent Alcohol Ethoxylated Alcohol, C12-13, Ethoxylated	Potentially naphthalene (PAH) in stoddard solvent - Need to confirm	None	stoddard solvent contains hydrocarbons up to c12 - therefore potentially contains PAH(Naphthalene) - need to confirm	0.8	Partial (emulsion)

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

**Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.**

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Kleen-Flo Kleen-Solv Parts Washer Solvent		Kleen-Flo Tumbler Industries	Multi-purpose cleaning solvent	Stoddard solvent	Potentially naphthalene (PAH) in stoddard solvent - Need to confirm	None	stoddard solvent contains hydrocarbons up to c12 - therefore potentially contains PAH(Naphthalene)	0.79	Negligible
Kleen-Flo Nitro Kleen		Kleen-Flo Tumbler Industries	gasoline additive	Stoddard solvent Ethyl alcohol Methyl alcohol	Potentially naphthalene (PAH) in stoddard solvent - Need to confirm	None	stoddard solvent contains hydrocarbons up to c12 - therefore potentially contains PAH(Naphthalene)	0.79	Insoluble
Kleen-Flo Radiator Flush (Water base)		Kleen-Flo Tumbler Industries	Radiator coolant lubricant & sealer	Sodium carbonate Sodium Xylene sulphonate Alcohol Ethoxylated Sodium tetraborate	None	None		1.07	Miscible
Kleen-Solv		Kleen-flo		stoddard solvent				0.79	
Kleen-Solv		Kleen-flo		stoddard solvent				0.79	
Krazy Glue All Purpose Adhesive		Elmer's Products, Inc.	Adhesive	Ethyl 2-Cyanoacrylate	None	None		1.05	Negligible
Krown Brake Cleaner		Krown	Brake Cleaner / degreaser	heptane	none	none		0.7	negligible
Krylon Marking Paint 7307		THE SHERWIN-WILLIAM S COMPANY	Paint	Propane Butane Aliphatic Hydrocarbon Solvent V. M. & P. Naphtha Toluene	None	None		0.799	N.A.
Kwik seal		Dap	latex caulk	limestone, branched and linear phthalates, titanium dioxide, n-butyl acetate, silica (crystalline), Ethylene glycol, formaldehyde	None	None		1.6	Not Established
Lacquer Thinner	Western formulation lacquer thinner	Recochem Inc.	Solvent for lacquers and paints	Toluene, methanol, methyl ethyl ketone	None	None			
Lacquer Thinner 7030		PRODUITS LUBRI-DELTA INC.		ACETONE ETHYL ACETATE PETROLEUM DISTILLATES ETHANOL ISOBUTYL ACETATE ISOPROPANOL METHANOL METHYL ETHYL KETONE TOLUENE	None	None		0.82	Insoluble in water.



## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Lawson Non-Chlorinated Brake Kleen		Lawson Products	Degreaser	Petroleum distillates, hydrotreated light Ethyl benzene Acetone Carbon Dioxide Xylene (mix)	none	none		0.83	not available
Lawson Non-Flammable Brake Kleen		Lawson Products	Degreaser	Tetrachloroethylene Carbon Dioxide	Tetrachloroethylene	none		1.598	n/a
Lawson PowR off Electrical parts Cleaner		Lawson Products	cleaner	N-Heptane Acetone Carbon Dioxide	none	none		n/a	32%
Lawson Tef Coat		Lawson Products	Lubricant	Propane/Isobutane/NButane Hexane 2-Propanone Ethylbenzene Xylenes (o-, m-, p- isomers) Toluene Benzene	none	none		0.6551	negligible
Leather and Vinyl repair kit: Heat cure repair compounds		3M	Automotive	DINONYL PHTHALATE, BRANCHED AND LINEAR, DIHEPTYL PHTHALATE, BRANCHED AND LINEAR, POLY(VINYL CHLORIDE), DI(HEPTYL, NONYL) PHTHALATE, BRANCHED AND LINEAR, DI(HEPTYL, UNDECYL) PHTHALATE, BRANCHED AND LINEAR, DI(NONYL, UNDECYL) PHTHALATE, BRANCHED AND LINEAR, 1,2-BENZENEDICARBOXYLIC ACID, DIUNDECYL ESTER, BRANCHED AND LINEAR, IRON OXIDE (FE3O4), C.I. PIGMENT GREEN 7, C.I. PIGMENT BLUE 15, TITANIUM DIOXIDE, C.I. PIGMENT RED 170, C.I. PIGMENT YELLOW 3	Vinyl Chloride [VC]			1.19	No Data Available
Leather and Vinyl repair kit: Vinyl Adhesive		3M	Automotive	VINYL ACETATE?ACRYLIC COPOLYMER, water	none			1.392	No Data Available
LePage 5 Minute Epoxy (Hardener)		HENKEL CONSUMER ADHESIVES	Epoxy Adhesive	Mercaptan terminated polymer 2,4,6-Tris(dimethylamino-methyl)phenol, Nonylphenol, Phosphorus acid, triphenyl ester, rxn products with dipropylene glycol	None	None		1.08	Not available

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
LePage 5 Minute Epoxy (Resin)		HENKEL CONSUMER ADHESIVES	Epoxy Adhesive	Bisphenol A, polymer chloromethyloxirane Bisphenol A - epichlorohydrin resin Polypropylene glycol diglycidyl ether Bisphenol A, formaldehyde, epichlorohydrin polymer	None	None		1.15	Insoluble
LePage Contact Cement		Henkel Canada Corporation	Adhesive	Solvent naphtha (petroleum), light aliphatic Methyl ethyl ketone n-Heptane 1,3-Butadiene, 2-chloro-, homopolymer Propyl acetate	None	None	2-chloro 1, 3-butadiene contains structures similar to vinyl chloride - (potential degradation product?)	Not Available	Not Available
LePage PL 200 Construction Adhesive		Henkel	Adhesive	Limestone Kaolin Ethylene glycol Quartz (SiO <sub>2</sub> )	none	none	paste	1.224	soluble
LePage PL 400 Sub-Floor & Decking Adhesive		Henkel Canada Corporation	Solvent based adhesive	Toluene Distillates, petroleum, steam-cracked, polymd. n-Heptane Distillates (petroleum), hydrotreated heavy naphthenic Titanium dioxide Quartz (SiO <sub>2</sub> )	None	None	paste	1.21	negligible
Lesonal Basecoat		Akzo Nobel Coatings Inc.		2-butoxyethanol	None	None		1.007	Soluble (easily dispersed)
Lloyd's (Kleens It) Brake Parts Cleaner		Lloyds Laboratories Inc.	Cleaner / Degreaser	Perchloroethylene, CO <sub>2</sub>	Perchloroethylene	None		1.635	Insoluble
Loctite Red		Henkel	Thread Sealant	Polyglycol dimethacrylate Bisphenol A fumarate resin Saccharin Cumene hydroperoxide	none	none		1.1	slight
Loctite E-20NS Hysol Epox Structural Adhesive - Hardener		Henkel Corporation	Epoxy adhesive	Talc Amine epoxy adduct Quartz (SiO <sub>2</sub> ) N-Aminoethylpiperazine Nonylphenol 2,2'-Iminodi(ethylamine) 4,4'-Isopropylidenediphenol Treated fumed silica	None	None		1.47	Slight

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits (Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Loctite E-20NS Hysol Epox Structural Adhesive - Resin		Henkel Corporation	Epoxy adhesive	Epichlorohydrin-4,4'-isopropylidene diphenol resin Talc Phenol polymer with formaldehyde, glycidyl ether Treated fumed silica Titanium dioxide	None	None		not available	insoluble
Loctite H3151 Speedbonder Structural Adhesive - Part A		Henkel Corporation	Two part acrylic metal adhesive	Methyl methacrylate Chlorosulphonated polyethylene Acrylonitrile, polymer with 1,3-butadiene and styrene 2-Hydroxyethyl methacrylate Methacrylic acid Methacrylate ester Talc Carbon tetrachloride	None	carbon tetrachloride	Paste	1.01	slight
Loctite H3151 Speedbonder Structural Adhesive - Part B		Henkel Corporation	Two part acrylic metal adhesive	Methyl methacrylate Butyl methacrylate Aldehyde-amine condensate Zinc chloride Zeolites	None	None	Paste	0.96	Slight
Loctite Parts Cleaner		Henkel Corporation		Tetrachloroethylene Xylenes Ethylbenzene Carbon dioxide	Tetrachloroethylene	none		1.3	not available
Loctite PL 400 SubFloor & Deck Adhesive		Henkel Corporation	Assembly adhesive, solvent	Limestone Acetone Kaolin Methyl acetate Distillates (petroleum), hydrotreated heavy naphthenic Titanium dioxide Quartz (SiO <sub>2</sub> )	None	None	liquid, paste	1.44	miscible
Lubriplate Clear Shield Extra Heavy		Lubriplate	lubricant	many, including asphalt, other PHCs, petroleum distillates, and oils	potentially PAH	none		0.98	negligible
Lucas Heavy Duty Oil Stabilizer		Lucas Oil Products Inc.	Base oil & additives	Residual Oil, Petroleum Solvent Refined Olefin Copolymer	None	None		0.89	Negligible
Lucas Power Steering Stop Leak		Lucas Oil Products Inc.	to stop seal leaks in power steering units	Naphthenic Petroleum Oil	None	None		0.92	Negligible
Lucas Transmission Fix		Lucas Oil Products Inc.	transmission maintenance	Naphthenic Petroleum Oil	None	None		0.93	Negligible
Masters Cutting Oil		G.F. THOMPSON CO. LTD.			None	None		0.89	Insoluble

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits (Template adapted from York Region, 2013)

*Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.*

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Methyl Hydrate	Methanol, Wood alcohol, Wood Spirit, Carbinol, Colonial Spirit, Columbian Spirit, Methyl Hydroxide, Wood Naphtha, Methanol with Additive	Recochem Inc.; Brenntag Canada Inc.	Industrial solvent, cleaner, degreaser, fuel for heaters and wick lamps, automotive coolant/antifreeze, chemical intermediate, lacquer thinner	Methanol	None	None			
MG Chemicals Silicone Conformal Coating		MG Chemicals	Protective coating for PC boards	2-propanone Xylenes Polymethylphenylsiloxanes 9003-01-4 Acrylic resins 1-methoxy-2- propanol acetate	None	None		0.96	Insoluble
Minwax - Antique Furniture Refinisher		MINWAX Company	Furniture Stripper	Toluene, Methanol, Acetone	None	None		0.82	N/A
Minwax Wood Finish		MINWAX Company		Med. Aliphatic Hydrocarbon Solvent Mineral Spirits Titanium Dioxide	None	None		0.86	Not Available
Mono Ultra bath and kitchen (clear)		DAP Canada	Caulk	Propylene glycol, silica (amorphous)	None	None		1.05	Not established
Mono Ultra bath and kitchen (white)		DAP Canada	Caulk	Xylenes, Titanium dioxide, Toluene, Silica (Crystalline), Propylene glycol, Ethyl benzene, Talc	None	None		1.31	Not established
Mono Ultra exterior Foam		DAP Canada	Foam Sealant	Polymeric diphenylmethane diisocyanate, Liquified petroleum gasses, Dimethyl ether, 4,4'-Methylenediphenyl diisocyanate (MDI)	Liquified petroleum gasses?	None		1	Not established
MOPAR - Brake & Parts Cleaner		Chrysler	Cleaner / Degreaser	N-HEPTANE, CARBON DIOXIDE, ISOPROPYL ALCOHOL	None	None		0.74	negligible
MOPAR - Penetrating Fluid		Chrysler	Lubricant	Methyl Isobutyl Carbinol, 1,3,5-Trimethylbenzene, Ethylene glycol butyl ether, xylene, ammonium hydroxide, diethyl benzene, aromatic solvent 100, Sweetened liquified petroleum gases, 1,2,4-trimethylbenzene, cumene, petroleum distillates, oleic acid				0.906	moderate (1%-10%)
MOPAR - Premium Throttle Body & Air Intake Cleaner		Chrysler	Cleaner / Degreaser	Toluene, Xylene, Acetone, Carbon Dioxide, Methyl Alcohol, Petroleum Distillates	None	None		0.85	negligible
Mopar Engine Shampoo		CHRYSLER CANADA LTD	Cleaner	Ethylene glycol, aromatic solvent 100, medium solvent naphtha, n-propane, diethanolamine, coconut oil diethanolamide, isobutane, monoethanolamine, caustic potash, water, tall oil fatty acids, ethylene oxide nonylphenol polymer, benzene	potentially PAH in aromatic solvent 100 and medium solvent naphtha?	None		0.885	not available

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits (Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Multi-Purpose Ceramic Tile Adhesive		DAP Inc.	Latex Floor Covering Adhesive	Limestone, polyacrylic acid emulsion, ethylene glycol, crystalline silica					
Mystery oil		Marvel		naphthenic hydrocarbons, mineral spirits, chlorinated hydrocarbons	TCE or PCE in Chlorinated hydrocarbons?			0.876	
NAPA (Body Pro) Maxi Fibre		ITW Evercoat	Fiberglass reinforced bodyfiller	Polyester Resin Talc Styrene Magnesite Fibreglass Strands	None	None		1.62	Insoluble in water.
NAPA BodyPro Polyester Resin		ITW Evercoat	Polyester Resin	Polyester Resin Styrene Silica, amorphous	None	None		1.15	Insoluble
Natural Stone Sealer		Genesis APS International Ltd.	Sealant	Xylene (xylene, o-, m-, -p-or mixed isomers), n-Butyl acetate (butyl acetate), aliphatic petroleum solvent	None	None			
Natural Varathane Putty		Rust-Oleum	Wood filler	Crystalline silica	None	None			
octane booster		STP		Hydrosulfurized Kerosene, solvent naphtha (petroleum) light aromatic, Naphthalene, polyolefin alkyl phenol alkyl amine, 1,2,4-Trimethylbenzene, Methylcyclopentadienyl manganese tricarbonyl, 1,3,5-Trimethylbenzene, Ethyl benzene	naphthalene			0.92	insoluble
Oil Eater - Cleaner/Degreaser		Kafko International. Ltd.	General purpose cleaner and degreaser	Sodium metasilicate - pentahydrate 2 Butoxyethanol Linear Alcohol Ethoxylate	None	None		1.038	Complete
Orange Cleaner Degreaser		Crown Chemical Products Inc. // Supplied by Roy Turk	Cleaner Degreaser	Nonionic surfactant Ethylene Glycol Monobutyl Ether D-Limonene	None	None		1.02	Complete
Painter's Touch Gloss Navy Blue		Rust-Oleum Corporation	Paint	Acetone Liquefied Petroleum Gas Naphtha, Petroleum, Hydrotreated Light Xylene Barium Sulfate Solvent Naptha, Light Aromatic 1,2,4-Trimethylbenzene Ethylbenzene	Potentially PAH in Light Aromatic Solvent Naphtha?	None		0.75	Slight

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits (Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
PC4 Acrylic Polyurethane Topcoat		Precision Coatings Inc.		Methyl n-amyl ketone, Xylene, Benzene, 1-chloro-4 (trifluoromethyl)-PCBTF, Bis (1,2,2,6,6-Pentamethyl 4-Piperdiny) Sebacate, 2-Hydroxy-4-n-octoxybenzophenone, ethyl benzene, carbon black, titanium dioxide, aluminum hydroxide, amorphous silica, aluminum flake, iron oxide yellow, iron oxide red, iron oxide black, ferric hexacyanoferrate	None	None			
Perchloroethylene	ethylene; tetrachloride; Nema; Tetracap; Tetropil; Perclene; Ankilostin; PerSec		Dry cleaning solvent	Perchloroethylene	Tetrachloroethylene (Perchloroethylene [PCE])	None			
Performix Plasti Dip Metalizer		performix	Spray Coating	varies with colour, some contain VM&P Naphtha which may potentially contain PAH	PAH (Maybe)	none	Density is "not available" on MSDS	not available	insoluble
Perfumed Clear Coat Protector CNC		Mondo Products Company Limited	Car wash detergent	Cationic/Nonionic surfactant mixture; 2-Butoxyethanol; Isopropanol	None	None			
Permatex Anaerobic Flange Sealant		ITW Permatex	Sealant	POLYURETHANE METHACRYLATE RESIN POLYGLYCOL DIMETHACRYLATE TREATED SILICON DIOXIDE, SYNTHETIC, CRYSTALLINE-FREE ACRYLIC ACID 2-HYDROXYETHYL METHACRYLATE DIMETHYLBENZYL HYDROPEROXIDE	none	none		1.1	slight
Permatex Anti Seize Lubricant		Permatex, Inc.	Lubricant	DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC DISTILLATES (PETROLEUM), HYDROTREATED LIGHT NAPHTHENIC CALCIUM OXIDE ALUMINIUM POWDER GRAPHITE MINERAL OIL	None	None		1.17	Nil
Permatex Brake Clean		Aerosol Cleaner	ITW Permatex	N-HEXANE CARBON DIOXIDE ETHANOL	None	None		0.72	not available



## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Permatex Carb & Choke Cleaner		Aerosol Cleaner	ITW Permatex	XYLENE ACETONE PROPANE ISOBUTANE ETHYL BENZENE DIACETONE ALCOHOL	None	None		0.84	not available
Permatex Clear RTV Adhesive Sealant		Permatex Inc.	Silicone Sealant	POLY (DIMETHYLSILOXANE), HYDROXY TERMINATED AMORPHOUS SILICA DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE ETHYLTRIAACETOXYSILANE METHYLTRIAACETOXYSILANE ACETIC ACID	none	none		1.01	polymerized (no?)
Permatex Cold Weld - Part 1 - Resin		Permatex Inc.	Epoxy Adhesive	LIMESTONE BISPHENOL A/EPICHLOROHYDRIN BASED EPOXY RESIN TREATED SILICON DIOXIDE, SYNTHETIC, CRYSTALLINE-FREE BENZYL ALCOHOL	None	None		1.9	Negligible
Permatex Cold Weld - Part 2 - Hardener		Permatex Inc.	Epoxy Adhesive	LIMESTONE MERCAPTAN AMINE BLEND MIXTURE BENZYL ALCOHOL TREATED SILICON DIOXIDE, SYNTHETIC, CRYSTALLINE-FREE SILICA, QUARTZ	None	None		1.13	Negligible
Permatex Liquid Electrical Tape		ITW Permatex	Adhesive	METHYL ETHYL KETONE XYLENE ACETONE	none	none		0.97	Nil
Permatex Plastic Weld - Activator		ITW Permatex	Epoxy Adhesive	METHYL METHACRYLATE 3,5-DIETHYL-1,2-DIHYDRO-1- PHENYL-2-PROPYLPYRIDINE	none	none		1.05	negligible
Permatex Plastic Weld - Adhesive		ITW Permatex	Epoxy Adhesive	METHYL METHACRYLATE CARBON TETRACHLORIDE	none	carbon tetrachloride		1	negligible



## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits (Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Permatex Red Hi-Temp Gasket Maker		ITW Permatex	Adhesive/sealant	POLY (DIMETHYLSILOXANE), HYDROXY TERMINATED AMORPHOUS SILICA DISTILLATES (PETROLEUM), HYDROTREATED MIDDLE IRON OXIDE ETHYLTRIAACETOXSILANE METHYLTRIAACETOXSILANE POLYDIMETHYLSILOXANE TITANIUM DIOXIDE ACETIC ACID	none	none		1	polymerized (no?)
Permatex Rust Dissolver		ITW Permatex	Rust Dissolver	Water, Phosphoric Acid, 2-Propanol	None	None		1.189	not available (but is water and acid based - i.e. soluble)
Permatex Super Glue		ITW Permatex	Glue	ETHYL-2-CYANOACRYLATE POLY (METHYL METHACRYLATE) SILICON DIOXIDE, AMORPHOUS 1,4-DIHYDROXYBENZENE	none	none		1.05	polymerized (no?)
Permatex Super Weatherstrip Adhesive		ITW Permatex	adhesive	ACETONE METHYL ETHYL KETONE (BUTANONE) TOLUENE N-HEXANE	none	none		0.89	nil
Permatex Thread Locker - Red		ITW Permatex	Adhesive	POLYGLYCOL DIMETHACRYLATE 25852-47-5 POLYESTER RESIN DIMETHYLBENZYL HYDROPEROXIDE	none	none		1.1	insoluble
PetroSol 3139		Petro Canada	Paint Thinner/Degreaser	Stoddard solvent* 8052-41-3 100 * Contains 1,2,4-Trimethylbenzene and Xylene	None	None		0.79	<0.1%
PetroSol 3355		Petro Canada	Solvent / Fuel (Kerosene)	Kerosene	None	None		0.82	Insoluble
Petrosol CF		Petro Canada	Solvent / Fuel (Kerosene)	Stoddard solvent 8052-41-3 60 - 85 Distillates (petroleum), hydrotreated light	None	None		0.8	Negligible
PJ1 COATING, CLEAR GLOSS FINAL	PJ1 Coatings Epoxy Clear Paint	PJH BRANDS	Aerosol Coating	MINERAL SPIRITS *ALIPHATIC HYDROCARBON *TOLUENE / AROMATIC HYDROCARBON 2-PROPANONE / OXYGENATED HYDROCARBON ISOBUTANE & PROPANE	None	None		N/A	N/A

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Poly-Lite Windshield Repair Resin		Poly-Lite	Windshield Repair Resin	2-hydroxyethyl methacrylate, methacrylic acid, 4-methoxyphenol	None	None		untested	miscible at 20C
power boosting oil supplement B1		Bardahl	Automotive	Petroleum hydrocarbon, lead in the form of an organo metallic naphthenate			contacted Bardahl Canada	0.93	negligible
power boosting oil supplement B1		Bardahl	Automotive	Petroleum hydrocarbon, lead in the form of an organo metallic naphthenate			contacted Bardahl Canada	0.93	negligible
Premium Lacquer Thinner		Safety-Kleen Systems, Inc.	Solvent for lacquers and paints	Toluene, acetone, methyl alcohol	None	None			
Premium Rubberized Rocker Guard		Dominion Sure Seal LTD.	Undercoating for Vehicles	Toluene, petroleum naphtha, carbon black, propane, isobutane	PAH in petroleum naphtha?	none		0.93	Insoluble
Prisco MRC-f		Prisco Graphics of CANADA	cleaner solvent	acetone xylene propan-2-ol ethylbenzene N-methyl-2-pyrrolidone	none	none		0.79	partly soluble
ProForm Acrylic Lacquer Thinner 2.1 VOC		Pro Form Products Limited	lacquer thinner	TOLUENE METHANOL ACETONE XYLENE ACETIC ACID, TERT-BUTYL ESTER	none	none		0.8172	partial
ProForm Grease & Wax Remover		Pro Form Products Limited	Solvent / Degreaser	xylene, VM&P Naphtha, isopropyl alcohol	none	none		0.013	miscible
Quick Fix Resin ABC and Pit Fill		Quick Fix		Modified Aliphataic Acrulated Urethan	none	none		<1	nil
Quick Fix windshield Repair Resin - ultra Thin		Quick Fix		Modified Acrylic Ester	none	none		1.07	miscible
Quik Fix Bead Sealer		Tech International	Tire mounting sealant	MIXED ISOMERIC HEPTANES SOLVENT NAPHTHA, LIGHT ALIPHATIC	None	None		0.75	not available
Ramuc EP Hi-Build Epoxy Pool Paint - Dawn Blue - Part A		Kop-Coat, Inc.	Epoxy Pool Paint	Diglycidyl ether of bisphenol A (DGEBA)-epoxy resin Talc (nonasbestiform) Titanium dioxide Xylene Methyl isobutyl ketone Ethylbenzene Calcium carbonate	none	none		1.439	slight

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Ramuc EP Hi-Build Epoxy Pool Paint - Dawn Blue - Part B		Kop-Coat, Inc.	Epoxy Pool Paint	Calcium carbonate (Limestone) Polyamide Resin Xylene n-Butanol Ethylbenzene	none	none		1.45	slight
Ramuc EP Hi-Build Epoxy Pool Paint - White - Part A		Kop-Coat, Inc.	Epoxy Pool Paint	Diglycidyl ether of bisphenol A (DGEBA)-epoxy resin Titanium dioxide Talc (nonasbestiform) Calcium carbonate (Limestone) Ethylbenzene	none	none		1.544	slight
Ramuc EP Hi-Build Epoxy Pool Paint - White - Part B		Kop-Coat, Inc.	Epoxy Pool Paint	Calcium carbonate (Limestone) Polyamide Resin Xylene n-Butanol Ethylbenzene	none	none		1.45	slight
Really Works Paint Stripper		Dominion Sure Seal Ltd.	aerosol paint stripper	METHYLENE CHLORIDE TOLUENE ETHANOL ISOBUTANE PROPANE	none	• Methylene chloride (Dichloromethane)		not listed	negligible
Rechchem Gun Wash		Rechchem	Paint thinner / solvent	Toluene Methanol 2-butanone	none	none		0.833	not soluble in cold water
Rechchem Lacquer Thinner		Recochem	Thinner / solvent	Toluene, Methanol, Acetone, Methyl ethyl ketone	None	None		0.839	soluble in hot water, not cold
Recochem Heirloom Furniture Stripper		Recochem Inc.	Furniture stripper	Methylene Chloride Methanol Toluene.	none	dichloromethane	Organic Solvent - is dense and non-aqueous but methylene chloride is not in DNAPL tables...	1.25	very slight
Recordsol Paint Thinner		Recochem	Solvent	Solvent naphtha (petroleum), medium aliph.	none	none		0.79	insoluble
Refrigerant 134a			refrigerant	1,1,1,2 tetrafluoroethane	None	None	source from various MSDS	>1	Negligible
Reochem - Brush & Roller Cleaner		Solvent for lacquers & paints	Reochem	Toluene Stoddard solvent Acetone Ethanol, 2-butoxy 2-Propanol		None		0.83	slight
Resistoseal Driveway Sealer	Driveway Sealer	Expertseal, Quebec	pavement sealer	Coal Tar	PAH in coal tar		possible PAH	1.1	partly soluble
Revive Electrical Contact Cleaner		Shrader Canada Limited	Cleaner	Heptane, Liquefied Petroleum Gases, Isoporpanol	None	None		0.7	negligible

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Ricoh Pro C900 Print Cartridges	Black, Magenta, Cyan, and Yellow all the same	Ricoh	Print Toner	Confidential Polyol Resin Carbon Black Organic Salt Iron Oxide Titan Oxide	none	none		1.2	insoluble
Ridgid Dark Thread Cutting Oil		Ridge Tool Company		Mineral Oil Sulfur Additive Package	None	None		0.878	Insoluble
Rim & Tire Kleen CNC		Mondo Products Company Limited	Heavy Duty Cleaner	Dodecylbenzene Sulfonic Acid(neutralized); Sodium Lauryl Sulphate; 1,3,5-Triazine-1,3,5(2h,4h,6h)-TRIETHANOL	None	None			
roof		Dap	asphalt sealant	asphalt, <b>stoddard solvent</b> , non-asbestifor tremolite, non-asbestiform talc, magnesite, non-asbestiform antigorite, asphalt extenda, hydrous aluminum silicate	possible in stoddard solvent	None		1.634	Not Established
roof		Dap	asphalt sealant	asphalt, <b>stoddard solvent</b> , non-asbestifor tremolite, non-asbestiform talc, magnesite, non-asbestiform antigorite, asphalt extenda, hydrous aluminum silicate	possible in stoddard solvent	None		1.634	Not Established
Rost Off	Yes, Rost. Not Rust.	Würth Canada Limited	Corrosion inhibitor	kerosine - unspecified	none	none		0.84	insoluble
Rubbing compound		3M	Automotive	Water, aluminum oxide, kerosene, castor oil, white mineral oil (petroleum), ethylene oxide, polymer with ethylenediamine and propylene oxide, poly (oxy-1,2-Ethanediy), Alpha-undecyl-omega-hydroxy-terpenes and terpenoids, sweet orange-oil, <b>Napthalene</b>	Polycyclic Aromatic Hydrocarbons [PAHs]		napthalene	1.06 - 1.08	Moderate
Rustame (and Rustame II)		Atco International	Rust coating	ANHYDROUS ALCOHOL LPG PROPELLANT PROPYLENE GLYCOL MONOMETHYL ETHER TANNIC ACID	None	None		0.895	Slightly Soluble

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Rust-Oleum High Performance Industrial Enamel Aerosol Topcoats		Rust-Oleum Corporation	Spray Enamel	Acetone Liquefied Petroleum Gas Titanium Dioxide Magnesium Silicate N-Butyl Acetate Xylene Methyl Ethyl Ketone Stoddard Solvents Ethylene Glycol Monobutyl Ether Toluene Ethylbenzene Aromatic Hydrocarbon 1,2,4-Trimethylbenzene Pigment Black 7 Pigment Yellow 17 Pigment Violet 32 Pigment Red 122	Potentially naphthalene (PAH) in stoddard solvent - Need to confirm	None	stoddard solvent contains hydrocarbons up to c12 - therefore potentially contains PAH(Naphthalene)	0.866	Slight
Safety Kleen Immersion Cleaner and Cold Parts Cleaner		Safety Kleen Systems Inc.	Solvent	Solvent naphtha (petroleum), heavy arom. 1-Methyl-2-pyrrolidone 10-30 Dipropylene glycol monomethyl Oleic acid 5-10 Ethanolamine 3-7 Naphthalene	Naphthalene	none		0.95	complete
Safety Kleen Lacquer Thinner 6782		Safety Kleen Systems Inc.	Solvent / Degreaser	Lots, including perchloroethylene, trichloroethane, methylene chloride	perchloroethylene	Methylene Chloride		0.83	slight
Safety Kleen Professional Heavy Duty Cleaner Degreaser		Safety-Kleen Systems, Inc.	Degreaser	Water Sodium alkyl olefin sulfonate Dipropylene glycol monomethyl ether Poly(oxy-1,2-ethanediyl), α-undecyl-ω-hydroxy- Propanol, 1-propoxy- Silicic acid, disodium salt	none	none		1.034	Complete
Safety Kleen Solvent 105		Safety-Kleen Systems, Inc.	Cleaning and degreasing metal parts.	Distillates (petroleum), hydrotreated light Tetrachloroethylene	Tetrachloroethylene	None	Product has been discontinued by Safety-Kleen but may still be present in parts washer stations that have not been visited recently by a Safety-Kleen Rep.	0.8	Insoluble.
Safety-Kleen Premium Gold Solvent 150		Safety Kleen	Degreaser	Petroleum Distillates Hydrotreated Light	None	None		0.82	Insoluble
Schwartz ABS Solvent Cement	Y1 ABS CEMENT	Schwartz	Adhesive	METHYL ETHYL KETONE TOLUOL	None	None		1	not available

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Schwartz C4 CPVC Solvent Cement	CPVC Glue	Schwartz	Adhesive	CYCLOHEXANONE TETRAHYDROFURAN CPVC RESIN AMORPHOUS FUMED SILICA	None	None		0.96	not available
Schwartz C5 PVC Cement	PVC Glue	Schwartz	Adhesive	METHYL ETHYL KETONE CYCLOHEXANONE TETRAHYDROFURAN	None	None		0.916	not available
Schwartz Rez-N-Glue Ex 144 HB	ABS Glue	Schwartz	Adhesive	METHYL ETHYL KETONE CYCLOHEXANONE	None	None		0.897	not available
Schwartz VC1 Vinyl Cement	PVC Glue	Schwartz	Adhesive	TETRAHYDROFURAN	None	None		0.888	not available
Scotch-Weld Epoxy Adhesive		3M Center		Epoxy resin, Kaolin	None	None			
Sea Foam Deep Creep		Sea Foam Sales Company	cleaner & lube For internal and external engine use	Pale Oil Low Odor Base Solvent IPA Carbon dioxide				0.77	Complete
Sea Foam Trans Tune		Sea Foam Sales Company	Fuel System Treatment	Pale Oil Naphtha IPA				0.819	Insoluble
Sensorkleen		CRC		Hexane isomers, n-Hexane, Synthetic isoparaffinic hydrocarbon, Methanol, Carbon dioxide	None	None		0.6699	
Shell Tellus S2 M 46		Shell Canada	Hydraulic oil	Highly refined mineral oils and additives.	none	none		0.879	negligible
Shell Tonna S2 M 68		Shell Canada	Lubricant	Highly refined mineral oils and additives.	none	none		0.879	negligible
Shellsol		Shell Canada	Solvent	Solvent Naphtha (Petroleum), Medium Aliphatic	none	none		0.81	insoluble
Sika® Primer-206 G+P		Sika	Glass Adhesive Primer	ethyl acetate HDI Homopolymer poly(isophorone diisocyanate) tris(p-isocyanatophenyl) thiophosphate n-butyl acetate Glycol Ether PM Acetate	None	None		1.05	
Slick 50 HM Fuel System Cleaner		ITW Global Brands	Fuel Treatment	Kerosine 1,2,4-trimethylbenzene	None	None		0.9	Negligible
Sluyter ABS 66Y Solvent Cement		SLUYTER COMPANY LTD.	Solvent cement	METHYL ETHYL KETONE ABS POLYMER	None	None		0.9	neegligible
Sluyter PVC S-40 Solvent Cement		SLUYTER COMPANY LTD.	Solvent cement	TETRAHYDROFURAN METHYL ETHYL KETONE CYCLOHEXANONE	None	None		1	negligible



## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits (Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Speedi Scat Grease and Wax Remover		Transtar Autobody Technologies	cleaner / solvent	heptane, toluene	none	none		0.7	negligible
Spray Nine		ITW Permatex Canada	Degreaser/cleaner	ETHOXYLATED C9-C11 ALCOHOLS, DIPROPYLENE GLYCOL MONONBUTYL ETHER	None	None		1.02	Complete
Stop leak (engine oil)		Lucas		Napthenic petroleum oil	?			0.9273	
Stop leak (power steering)		Lucas		Napthenic petroleum oil				0.9218	
STP® Complete Fuel System Cleaner	Fuel Cleaner	The Armor All/STP Products Company	Fuel Additive; other products such as Fuel Injector, Carburetor Treatment also contain naphthalene; Specific gravity <1.0 - see Armor all/STP website	Solvent naphtha (petroleum), light aromatic, Alkylphenol polyoxyalkyl alkylamine, Hydrosulfurized Kerosene, 1,3,5-Trimethylbenzene, PropylbPolyolefin Alkyl phenol alkyl amine, Xylene, Cumene, <b>Naphthalene</b>	Naphthalene	none	liquid	0.91	insoluble
Stewart Hall Pyroseal		The RectorSeal Corporation		Sodium Silicate, Calcium Magnesium Silicate	none	none		1.43	Insoluble
SuperClean Biodegradable		SuperClean Brands	Degreaser	too long, see MSDS. None within Tables of Drinking Water Threats.	None	None		1.04	complete
Suzuki Carb & Combustion Chamber Cleaner		Shrader Canada Limited	combustion chamber cleaner	Solvent Naphtha - light aromatic, Sweetened LPG, methyisobutyl carbinol, 2-butoxyethanol, hydrotreated heavy naphthenic distillates, hydrotreated light naphthenic distillates, ammonium hydroxide	Potentially PAH in Light Aromatic Solvent Naphtha?	None		0.922	partial
System k4 Solvent (solven k4)		Kreussler	Dry Cleaning Solvent	dibutoxymethane	none	None		0.838	n/a
Tan-E-Cal		Pennwalt Corporation; Caled Div, Anscott Chemical Industries Inc.	Stain remover, tannin spotter	Organic acid (lactic acid)	None	None			
Tec Type 1 Mastic		Tec	Mastic for ceramics	Calcium carbonate, crystalline silica	none	none	semi-solid	1.49	not available
Tech Rub O Matic Tire Cleaner		Tech International	Tire Cleaner	solvent naphtha (petroleum blend), light	None	None		0.73	not available
Tech Tire Repairs - Rim Ease		Tech International	Lubricant	propane-1, 2-diol	None	None		1	Water Based
Tech-Check Concentrate		Tech International	Finds Leaks		None	None		0.995	not available
Technical Adhesives Product #3015A		Technical Adhesives Limited	Adhesive	no hazardous materials listed	None	None		1.2	n/a
Techno,elt 8481 Adhesive		Henkel	Hotmelt adhesive	Paraffin waxes and Hydrocarbon waxes Vinyl acetate	none	none		1	insoluble



## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

**Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.**

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Techspray Fine-L-Cote UR		Techspray, L.P.	Urethane conformal coating	n-Propyl acetate Urethane prepolymer Xylenes (o-,m-,p- isomers) ethylbenzene Tetrahydrofuran 1,1,1,2-Tetrafluoroethane	None	None		0.93	insoluble
THOMPSON'S® WATER SEAL® Waterproofer PLUS Clear Wood Protector		THE THOMPSON'S COMPANY		mineral spirits, heavy paraffinic oil	None	None		0.86	
T'N'T Truck and Trailer Wash		Zep	Degreaser / Truck & Trailer Wash	tetrasodium ethylene diamine tetraacetate disodium metasilicate Nonylphenol, ethoxylated trisodium nitrilotriacetate	None	None		1.076	"Easily"
Top Quality Carb & Choke Cleaner		Transit Warehouse Distributor	Cleaner / Degreaser	XYLENE ETHYLBENZENE ACETONE DIACETONE ALCOHOL ISOBUTANE PROPANE	None	None		0.9	not available
Top Quality Engine Degreaser		Transit Warehouse Distributor	Cleaner / Degreaser	MINERAL SPIRITS SOLVENT NAPHTHA, PETROLEUM, HEAVY AROMATIC PROPANE	Heavy Aromatic Solvent Naphtha maybe contains PAH?	None		0.82	negligible
TOP QUALITY Gravel Guard		Les Pièces d'Auto Transit Warehouse Distribution	Lubricant/aerosol	Toluene Hydrocarbons polymer C6-C20, hydrogenated Methanol Propane Isobutane	None	None		0.93	Insoluble
Top Quality M16 Penetrating Oil		Transit Warehouse Distributor	Lubricant	HYDROTREATED LIGHT AND HEAVY NAPHTHENIC DISTILLATE ISOBUTANE PROPANE	None	None		0.87	negligible
TOP QUALITY Rubberized Undercoat		Les Pièces d'Auto Transit Warehouse Distribution	Lubricant/aerosol	Toluene Hexane Asphalt Propane Isobutane	PAH in asphalt	None		0.93	Insoluble

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Trans Flush Transmission Cooler Flush		Life Automotive Products Inc.	Aerosol Cleaning Compound	sodium silicate, dimethyl ether	none	none		1.04	miscible
Transtar No Mix Low VOC Base Coat		Transtar Autobody Technologies	Automotive Paint	p-Chlorobenzotrifluoride, acetone, titanium dioxide, propylene glycol monomethyl ether, diacetone alcohol, naphthalene, xylene, n-butyl acetate, petroleum naphtha - hydrotreated heavy, stoddard solvent, aromatic petroleum distillates, mica, aluminum metal dust, iron oxide fume, graphite, carbon black, amorphous silica	Naphthalene (PAH)	none		1.4	Not available
Tremclad Rust Paint - Dark Blue		Rust-Oleum Corporation	Paint	Stoddard Solvents Mineral Spirits Hydrotreated Light Distillate Titanium Dioxide Solvent Naptha, Light Aromatic	PAH in Stoddard Solvent	None		0.925	Slight
Tremclad Rust Paint - Fire Red		Rust-Oleum Corporation	Spray Paint	Acetone Liquefied Petroleum Gas Xylene n-Butyl Acetate Ethylbenzene Propylene Glycol Monobutyl Ether Toluene	None	None		0.755	Slight
Tremclad Rust Paint - Royal Blue		Rust-Oleum Corporation	Paint	Mineral Spirits Titanium Dioxide Hydrotreated Light Distillate	None	None		0.93	Slight
Tremclad Rust Paint (Black)		Rust-Oleum Corporation	Spray Paint	Acetone Stoddard solvent (Mineral Spirits) Liquefied petroleum gases Isobutane Xylene Ethylbenzene Carbon Black 1,2,4-Trimethylbenzene Cobalt (II) 2-ethylhexanoate	Potentially naphthalene (PAH) in stoddard solvent - Need to confirm	None	stoddard solvent contains hydrocarbons up to c12 - therefore potentially contains PAH(Naphthalene)	0.7	Negligible

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Tremclad Rust Paint (Light Grey)		Rust-Oleum Corporation	Spray Paint	Liquefied Petroleum Gas Acetone Alkyd Resin Proprietary n-Butyl Acetate Xylene Titanium Dioxide Barium Sulfate Ethylbenzene Propylene Glycol Monobutyl Ether Solvent Naptha, Toluene	None	None		0.824	Slight
Tremclad Rust Paint (Yellow)		Rust-Oleum Corporation	Spray Paint	Liquefied Petroleum Gas Acetone Alkyd Resin Proprietary n-Butyl Acetate Xylene Titanium Dioxide Methyl Ethyl Ketone Ethylbenzene Barium Sulfate Propylene Glycol Monobutyl Ether Aromatic Petroleum Distillates Solvent Naptha, Light Aromatic Toluene	Naphthalene potentially in light aromatic naphtha? - need to confirm	None		0.804	Slight
Tremco Dymeric 240		Tremco	Adhesive/sealant	Aluminum oxide Diocetyl phthalate	None	None		1.95	Negligible
Turpentine	Oil of turpentine, Terpene, Dipanol, Gum Spirits, Wood Turpentine, Turps		Solvent, thinner, antiseptic, drug, pesticide, insecticide	Turpentine	None	None			
Unival Fuel Injector Cleaner		Wynn's	To clean injectors / treat gasoline	SOLVENT NAPHTHA MEDIUM ALIPHATIC SOLVENT NAPHTHA, LIGHT AROMATIC		None		0.83	"disperses"
V&S 1081 - Spray Trim Adhesive		Adhesive Solutions, Inc.	Spray Adhesive	ALIPHATIC HYDROCARBON PETROLEUM HYDROCARBON RESIN STYRENE-ISOPRENE BLOCK COPOLYMER PEL AROMATIC HYDROCARBON ACETONE HYDROCARBON PROPELLANT	PAH In Aromatic hydrocarbon ingredient?	none		0.815	nil

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Valspar Matte White Paint		Valspar	Paint	dimethyl ketone, propane, butane, methyl isobutyl ketone, butyl acetate, titanium dioxide, isobutyl acetate, ethyl 3-ethoxypropionate, cobalt octoate	None	None		0.79	not determined
Valve kleen		CRC		Xylene, <b>Solvent-refined heavy paraffinic distillates</b> , Ethylbenzene, Acetone	Possible in Solvent refined heavy paraffinic distillates			0.8655	negligible
Varathane Clear Finish - Gloss		Rust-Oleum Corporation	Topcoat/aerosol	Liquefied Petroleum Gas Stoddard Solvents Acetone Methyl Ethyl Ketone Toluene	PAH in stoddard solvent	none		0.722	Slight
Varathane Clear Liquid Plastic #90 Gloss		Flecto Company	Interior wood finish	Naphtha (petroleum spirits), toluene, acetone, n-butyl alcohol, aliphatic & halogenated aliphatic hydrocarbons					
Varathane Diamond Finish Semi-gloss		Flecto Company	Wood finish	1-Methyl-2-pyrrolidinone; dipropylene glycol monomethyl ether; n-butoxypropanol	None	None			
Varathane Liquid Plastic, 60		Flecto Company	Interior wood finish	Stoddard solvent	None	None			
Varathane Premium Wood Stains		Rust-Oleum	Wood stain	Mineral Spirits, Aromatic Petroleum Distillates, 1,2,4-Trimethylbenzene	None	None			
Varathane Sanding Sealer		Rust-Oleum	Sealer	Magnesium silicate, diethylene glycol monobutyl ether					
Varsol	Dry Cleaning Safety Solvent; Mineral Spirits; Varnoline; Naphtha Safety Solvent; White Spirits	Imperial Oil - Chemicals Division; Recochem Inc.	Dry cleaning, spot and stain removal, degreaser, solvent, fuel, diluent, chemical feedstock	Stoddard solvent, petroleum distillate	None	None		0.79	
Varsol 3139 (Esso Oil)		Imperial Oil Chemicals Division	Solvent / Degreaser	Stoddard solvent	0.1-0.5% naphthalene	None		0.788	Negligible
Velvetop Polymer Modified Asphalt Sealer	pavement sealer	Veveop Products, USA	pavement sealer	Ball clay, Asphalt, Calcium carbonate	none	none	contains no coal tar	1.2	dispersible, not soluble
Velvetop Super Pavement Sealer	pavement sealer	Veveop Products, USA	pavement sealer	Coal Tar	PAH in coal tar		possible PAH	1.3	dispersible, not soluble
VHT Caliper Paint - All Colours		VHT PRODUCTS CO.	Spray Paint	Varies with colour but none have Chlorinated solvents or PAH according to MSDS	none	none		0.73	n/a
VHT Header Paint - All Colours		VHT PRODUCTS CO.	Spray Paint	Varies with colour but none have Chlorinated solvents or PAH according to MSDS	none	none		0.77	n/a
VHT Header Paint Flat Grey Primer		VHT PRODUCTS CO.	Spray Paint	Includes Naphthalene and medium aromatic hydrocarbons	Naphthalene	none		0.79	n/a
WEATHER SHIELD-CLEAR BASE		Frazee Industries	stain/laquer	ALIPHATIC HYDROCARBONS (STODDARD) *1,2,4-TRIMETHYLBENZENE SOLVENT NAPHTHA LIGHT AROMATIC SOLVENT NAPHTHA MEDIUM ALIPHATIC *2-PROPOXYETHANOL	Solvent Naphtha light aromatic - may include naphthalene (c10)	None		0.87	Negligible

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits (Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Weld-On		IPS Corporation	Low VOC Adhesive for bonding	Methyl Methacrylate Monomer, Methyl Ethyl Ketone, Benzoyl Peroxide	None	None			
Weld-On 747 Pool 'R Spa		IPS Corporation	PVC cement	Tetrahydrofuran Methyl Ethyl Ketone Cyclohexanone Acetone	none	none		0.942	Solvent portion soluble in water. Resin portion separates out.
Weld-on 790 Low VOC Multi-Purpose Plastic Pipe Cement		IPS Corporation		Tetrahydrofuran Methyl Ethyl Ketone Cyclohexanone	none	none		0.934	Solvent portion dissolves, resin separates out
Weld-on FlowGuard Gold Low VOC Cement for CPVC Plastic Pipe		IPS Corporation		Tetrahydrofuran Methyl Ethyl Ketone Cyclohexanone	none	none		0.986	Solvent portion dissolves, resin separates out
Weldwood Floor Tile Adhesive		DAP Inc.	Latex Floor Covering Adhesive	Petroleum hydrocarbon oil, Kaolin, nonylphenol ethoxylate, urea, ethylene glycol, titanium dioxide					
West System 105 Epoxy Resin		West System Inc.		Bisphenol-A type epoxy resin, benzyl alcohol, bisphenol-F type epoxy resin	None	None	Bisphenol-A is a white solid		
Western Weld Redi Buff		Western Weld	Tire Cleaner / buffer	Aliphatic Naphtha Propellant (Isobutane) Propellant (Propane), kerosene, terpene hydrocarbons	none	none		0.652	insoluble
Western Weld Self Vulc		Western Weld	Vulcanizing Cement	aliphatic naphtha, natural rubber	none	none		0.716	Insoluble
White Lightning Clean Streak		Finish Line Technologies Inc.,	Degreaser	ETHANOL VM & P NAPHTHA ISOBUTANE SYNTHETIC ISOPARAFFINIC HYDROCARBON 1-METHOXY-2-PROPANOL PROPANE	none	none		n/a	n/a
Wickes All Purpose Tile and Grout		Bostik Ltd.	Tile Adhesive	2-(2-Butoxyethoxy) ethanol, zinc oxide	None	None			
Wickes Tile Adhesive Waterproof		Bostik Ltd.	Tile Adhesive	2-(2-Butoxyethoxy) ethanol, zinc oxide	None	None			
Würth (SaBesto) Brake Cleaner		Würth Canada Limited	Cleaner / Degreaser	low boiling point hydrogen treated naphtha low boiling point hydrogen treated naphtha isopropanol Carbon dioxide	none	none		0.71	partly soluble
Würth Eco Super Spray All		Würth	Cleaner	Non ionic surfactant Sodiumsilicate, pentahydrate	none	none		1.14	complete
Würth High Temp Spray Paint		Würth Canada Ltd.	Spray Paint	Varies with colour, some contain stoddard solvent which contains naphthalene	PAH (subcomponent of stoddard solvent)	none		0.79	not available
Würth Klebfix Super Glue		Würth	Adhesive	ethyl 2-cyanoacrylate 2-Propenoic acid, 2-methyl-, methyl ester, homopolymer	none	none		1.06	hydrolyses (huh?)

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Wurth RePlast Easy 1.5		Wurth	Adhesive	4,4'-methylenediphenyl diisocyanate Talc 4,4'-Methylenediphenyl diisocyanate, oligomers	none	none		1.288	reacts with water
Wurth Spray Adhesive		Wurth	Adhesive	propane acetone butane heptane [and isomers] Heptane, branched, cyclic and linear methyl acetate toluene	none	none		0.84	insoluble
Wurth Spray Enamel		Wurth Canada Ltd.	Spray Paint	Varies with colour, some contain stoddard solvent which contains naphthalene	PAH (subcomponent of stoddard solvent)	none	Specific Gravity provided is the highest of the colours (grey primer)	0.77	complete
Wurth Super Enamel - Flat Black		Würth Canada Limited	Spray Paint	acetone propane Stoddard solvent; Low boiling point naphtha - unspecified isobutyl acetate butane Calcium carbonate isopropanol low boiling point naphtha Carbon black	PAH in stoddard Solvent	none		0.75	complete
Wurth Threadlocking Agent Red		Wurth	Adhesive	Poly(oxy-1,2-ethanediyl), .alpha.-(2-methyl-1-oxo-2-propen-1-yl)-.omega.-[(2-methyl-1-oxo-2-propen-1-yl)oxy]-	none	none		1.11	immiscible
Wynn's Carburetor Cleaner		Wynn's	Cleaner	PROPRIETARY BLEND XYLENE DIACETONE ALCOHOL METHANOL ISOPROPANOL	none	none		0.876	practically insoluble
Wynn's Injector Cleaner		Wynn's	To clean injectors / treat gasoline	SOLVENT NAPHTHA MEDIUM ALIPHATIC SOLVENT NAPHTHA, LIGHT AROMATIC	none	None		0.83	"disperses"
X Tra Seal Chemical Vulcanizing Cement		31 Incorporated	Chemical or Heat Vulcanization of Tire Repair Materials	Heptane Methylcyclohexane Uncured Natural Rubber	None	None		0.77	n/a
X-Tra Seal - Bead Sealer		31 Incorporated	For sealing small air leaks between tire bead and the wheel	Toluene 40 - 65% Heptane	None	None		0.871	n/a

## Chemical Products Identified during Commercial and Industrial Threat Verification Site Visits

(Template adapted from York Region, 2013)

**Please note: For reference purposes only and is to be used at your own discretion. Users should still consult a current MSDS for the specific product. This information could become outdated quickly. Some products may have more than one formulation and still bear the same or a very similar name.**

**Note:** This information was compiled from Material Safety Data Sheets collected through online searches or requested from product manufacturers. Information for products listed without a specific brand are based on general research of that type of product. Information for products that do have a brand listed applies only to that specific brand/product.

Product Name	Common Names	Manufacturer/Supplier	Intended Product Use	Composition / Hazardous Ingredients	CWA DNAPL Contained in Chemical	CWA Organic Solvent Contained in Chemical	Notes	Specific Gravity	Solubility in Water
Xylol	Ethyl benzene, Xylene and isomers	TMK Packers Ltd.; Science Stuff Inc.	Industrial solvent, paint and ink manufacture, laboratory reagent	Xylene and isomers, Aromatic 100	None	None			
Zip Seal n Peel		Sico	Sealant	NAPHTHA HYDROTREATED (heavy fraction C6-C13) XYLENE (mix isomers o,m,p and ethyl benzene) HYDROGENATED STYRENE/BUTADIENE COPOLYMER STYRENE-ETHYLENE-PROPYLENE COPOLYMER	None	None		0.83	not available